



muscle (laterally)



	Anterestate	Medial boundar	Enternation	pronator teres muscle		Mandarantind		
		lateral boundary		brachioradialis muscle				
	directed upwards and is formed by an imaginary l base connecting the 2 humeral epicondyles							
	Directed downwards and formed by the point of overlap of brachioradialis over pronator teres							
<b>CEX</b>	skin							
of	deep bicep	tascia ital	Mondershare Wedrawhind	Mucroantine		Mondershare	Mondershare redrawnind	
	Sine	rficial fas	cia conta	aining median c	ubital vein	narts of hasi	lic and	

![](_page_0_Picture_8.jpeg)

## ed by an imaginary line ondyles

![](_page_0_Picture_11.jpeg)

![](_page_0_Picture_12.jpeg)

A redamind	Anondershind	Anone antind	Anedantind	A Nondeshin				
1 it is a ulnar ne	thick triangu erve. The liga	Iar ligament cleanent is attach	osely related red to the	to				
medial surface	epicondyle s of upper en	uperiorly and t d of ulna	he medial	Ulna liga	ar collat ment			
Anorderstate	Anternational and a second sec	it is a triangula connects the l epicondyle to border of annu	ar ligament th ateral the upper ular ligament	nat Rad liga	ial colla ment			
Mondershare Redrammind	Mendershare	Mondarshare	Mondestate	Mendeeshart	Th mo ax			
3€		. *	Duri insic coro	ng flexior le the rac noid proc	n of elbe dial foss cess of			
Anordanining	Anteresting	Contraction of the second seco	And the second s	CALCOVC AND A CONTRACTOR OF THE PROPERTY OF TH	While i proces fossa			
	This movement is done by the brachialis. biceps and brachialis.							
	This mov	ement is done	by the		extens			
	triceps ar	nd anconeus	e	xtension				

![](_page_1_Figure_1.jpeg)

![](_page_1_Picture_2.jpeg)