Organs with endocrine functions

Dr. arwa rawashdeh

Body of Pancreases

- Beta cells: insulin Feeding glycolysis burn glycogen synthesis (anabolic)
- Alpha: glucagon Fast glycogenolysis, cortisol, Ep,Thyroxine (catabolic), ketone bodies
- S: somatostatin

Glu, Pancreases, Glut2, phosphorylation G-6-P,ATP, close k channels, Ca+, insulin

- Acetone, acetoacetate (lipid), B hydroxybutyrate
- Type 1, no insulin, ketosis
- Type11, no receptors
 cAMP decrease by insulin and increase by glucagon

glucagon antidote for B- blockers toxicity

1. Renin- Angiotensin Aldosterone blood pressure and volume

2. Erythropoietin (glycoprotein hormone)Extraglomerular mesangial cellsHypoxiaStimulate bone marrow to produce erythrocytes

3. Calcitriol (lipid soluble hormone) and active form of vitamin D

Increase calcium and phosphate in the blood by two ways:

Increase the ability of gut and intestinal cells to absorb more calcium and phosphate

Bone resorption (increases the amount of bone matrix that break down and release calcium and phosphate ion into the blood)

Mechanism of secretion of ADH

Synthesized in Supraoptic nucleus of hypothalamus Store it in posterior pituitary

Low blood pressure Angiotension II

High Plasma osmolality

Osmoreceptors

organo vasculosom of lamina terminalis

sub fanikular organ

Effect of ADH

Principle cells in the collecting duct

- Binds to V2, G stimulatory protein, GTP, adenylate cyclase, ATP, Camp, P.K.A, Aquaporins 2 plug to the membrane
- The water passes through into the cell not secreted into the urine
- The water moves to the blood
- Increase the blood volume and decreases the Decrease osmolality (isotonic)
- Aquaporins 3 and 4 basolateral membrane

Bind to V1 in the blood vessels, vasoconstriction, Increase TPR, Increase blood pressure Diabetes insipidus (trauma to the head) Decreases ADH Polyuria (water urea) Polydipsia Tumor (increase ADH) Syndrome of inappropriate ADH secretion (SIADH) Cerebral edema.20mmHg mannitol

Cushing Triad

• CPP=MAP-ICP

60 to 80%= 100-15 normal 20 abnormal Increase BP slow HR irregular RR

Heart

Cardiac myocytes in the upper chamber of the heart

Atrial natriuretic peptide

Decrease blood pressure

Vasodilator

Decreases blood volume

Increase Na+ excretion

Skin

Cholecalciferol (vitamin D2)

Pre hormone

UV radiation , cholecalciferol in the skin, liver to transform into calcidiol to calcitriol in the kidneys

Liver

Angiotensin (regulate blood pressure) Thrombopoietin (glycoprotein)

Produce platelet (blood clotting)

Pineal Gland or body (third EYE)

Diencephalon (thalamus, hypothalamus (supra chiasmatic nucleus), epithalamus consist of pineal gland and habenular commissure) Light, glutamate, supra chiasmatic nucleus (biological clock), PVN, lateral gray horn, superior cervical ganglion (NE), pineal gland

Tryptophan, 5- hydroxy tryptamine, serotonin, melatonin

NE higher during darkness and increase the melatonin (inhibition)

during the day NE decrease and thus melatonin (stimulation) Melatonin binds to supra chiasmatic nucleus to regulate Sleep and wake cycle (diurnal cycle)