

37. Lymph drainage of stomach include the following lymph node group except? Select one:

- a. Right gastric nodes
- b. The celiac nodes
- c. The superior mesenteric nodes .
- d. Right gastroepiploic nodes
- e Short gastric nodes

? Which of the followings is true regarding the appendix .40

A retroperitoneal structure

B supplied from inferior mesenteric artery

C attach to the lateral aspect of the cecum

D commonly hanging

E commonly projecting upward along the lateral side of the cecum

: Which glands below the utricle .55

A- Parotid gland .

B- Sublingual glands

C- Submandibular glands

D- Thyroid glands

E- Parathyroid glands

11. Regarding the mucous membrane and duodenal papillae. Select the True one?

- a. The mucous membrane of the duodenum is thick all over
- b The mucous membrane is thrown into numerous circular folds called the rugae
- C The major duodenal papilla open below minor duodenal papilla .
- d The mucous membrane of the duodenum is thin in terminal part
- E. The accessory pancreatic duct opens into the duct open into the major duodenal papilla

37. Lymph drainage of stomach include the following lymph node group except? Select one:

- a. Right gastric nodes
- b. The celiac nodes
- C. The superior mesenteric nodes .
- d. Right gastroepiploic nodes
- e Short gastric nodes

1. One of the following is true according to the lingual papilla
It receives opening from the submandibular duct

2. Which one is part of the midgut:

- A. Jejunum
- B. esophagus
- C. liver

Answer: A

3. The relation that is embedded within the parotid gland :
Retromandibular vein

? One of the followings muscle close the oropharyngeal isthmus.43

مناك

A. muscles uvulae

B. palatopharyngeus muscle..

C. palatoglossus muscle

D . tensor palati muscle

E. levator palati muscle

72) Which glands open into the vestibule of the mouth opposite the upper 2nd molar tooth?

Select one:

- A) Submandibular glands
- B) Sublingual glands
- C) Parathyroid glands
- D) Parotid gland
- E) Thyroid gland

13. Concerning the blood supply to the gastrointestinal tract, which of the following has the Superior pancreaticoduodenal artery as a branch

- a. Right colic artery
- b. Gastroduodenal artery •
- c. Left gastroepiploic artery
- d. Left colic artery
- e. Right gastroepiploic artery

19) Sigmoid Colon have the followings, except?

Select one:

- A) The superior mesenteric artery its main blood supply
- B) Extends from the iliac fossa to the third sacral (S3) vertebra
- C) Links the descending colon and the rectum
- D) Is 25 to 38 cm
- E) 15 cm from the anus, indicates the recto-sigmoid junction

35) All of the followings are features of the nasopharynx, except?


Select one:

- A) Opening of the auditory tube
- B) Pharyngeal tonsil
- C) Pharyngeal recess
- D) Palato-pharyngeal fold
- E) Tubal elevation

8) The lesser sac have the following boundaries, except?

Select one:

- A) Splenicorenal ligament on the left margin
- B) The stomach anteriorly
- C) The greater sac on the left margin
- D) The spleen on the left margin
- E) The pancreas posteriorly



- A) Valves of Ball at the lower end of the anal columns
- B) The upper part is endodermal in origin
- C) The pectinate line is the lower end of the anal valves
- D) The anal sinus presents in the middle part
- E) The columns of Morgagni are connected together by crescentic folds

10) The arterial supply to the appendix is via the appendicular artery.
Which vessel does it directly arise from?

Select one:

A) Ileocolic artery



E) 30 to 50

51) What is the name of the rectal folds?

Select one:

- A) Rectal shelves
- B) Relaxation of puborectalis portion of levator ani muscles
- C) Anteroposterior flexures of the rectum
- D) Lateral flexures of the rectum
- E) Contraction of pubo-rectalis portion of levator ani muscles

67) The anterior boundary of the Epiploic Foramen is?


Select one:

- A) The portal traid
- B) Caudate process of the caudate lobe of the liver
- C) Inferior vena cava
- D) First part of the duodenum
- E) The portal vein

62) Which is attached to the posterior border of the hard palate?

Select one:

- A) Palatopharyngeus muscle
- B) Palatine aponeurosis
- C) Musculus uvulae
- D) Soft palate muscles
- E) Palatoglossus muscle



1) Lymphatic spread of carcinoma of the fundus of the stomach is likely to metastasize to the?

Select one:

- A) Right gastroepiploic nodes
- B) Celiac nodes
- C) Superior mesenteric nodes
- D) Inferior mesenteric nodes
- E) Internal iliac nodes

11. in appendicectomy it is true to look for the followings except?

- a. The tenia coli of the cecum
- b. The right iliac fossa
- c. McBurney's point
- d. The tip of the appendix in front of or behind the terminal part of the ileum as a very common site ••
- e. The appendicular artery

56. Which glands open into the sublingual papilla?

- a. Parotid gland
- b. Sublingual glands
- c. Submandibular glands •
- d. Thyroid glands
- e. Parathyroid glands

35. All the following structures having mesentery except?

- a. The transverse colon
- b. The cecum • •
- c. The small intestine
- d. The appendix
- e. The sigmoid colon

3. Concerning the blood supply to the gastrointestinal tract, choose a branch of the superior mesenteric artery?

- a. Right colic artery.
- b. Gastroduodenal artery
- c. Left gastroepiploic artery
- d. Left colic artery
- e. Right gastroepiploic artery

61. Which of the following muscle passes between superior and middle constrictors muscles of pharynx?

- a. Stylopharyngeus muscle..
- b. Palatoglossus muscle
- c. Palatopharyngeus muscle
- d. Tensor palati muscle
- e. Salpingopharyngeus muscle

10. The abdominal part of the esophagus is?

Supplied by the celiac trunk

ANSWER: A

31. According to the parotid gland, which is incorrect?

- a. The largest salivary glands
- b. It is lies below the external ear
- c. It is triangular in transverse cross section
- d. It presents behind the master muscle
- e. it is related to the posterior border of the sternomastoid muscle ••

68. All of the following muscles are attached to the superior surface of palatine aponeurosis except?

- a. Musculus uvulae.
- b. Palatopharyngeus muscle
- c. Palatoglossus muscle
- d. Tensor palati muscle
- e. Levator palati muscle

- a. The mucous membrane of the duodenum is thick all over
- b. The mucous membrane is thrown into numerous circular folds called the rugae
- c. The major duodenal papilla opens above minor duodenal papilla
- d. The mucous membrane of the duodenum is thin all over
- e. The accessory pancreatic duct opens into the duodenum as minor duodenal papilla :•

Which of the dangerous muscle during general anesthesia?

Select one:

a. Palatoglossus.

b. Genioglossus.

c. Hyoglossus.

d. Styloglossus.

e. Geniohyoid.

(B)

Which of the followings pass through the gap between superior and middle constrictor muscles of the pharynx?

Select one:

- a. Recurrent laryngeal nerve.
- b. Salpingopharyngeus muscle.
- c. Glossopharyngeal nerve.
- d. Ascending pharyngeal artery.
- e. Internal laryngeal nerve.

(C)

8) The lesser sac have the following boundaries, except?

Select one:

- A) Splenicorenal ligament on the left margin
- B) The stomach anteriorly
- C) The greater sac on the left margin
- D) The spleen on the left margin
- E) The pancreas posteriorly

Which is INCORRECT about the external anal sphincter?

Select one:

- a. The deep part is a thick circular band.
- b. The superficial part is formed of two bands.
- c. The deep part has bony attachment.

45

- d. The superficial part attached into the perineal body.
- e. The subcutaneous part is a thick circular band.

(c)

4. The mesentery that divides the infra-colic compartment into right and left:

The mesentery of the small intestine

5. Duodenum?

- A. Anterior to the bile duct
- B. Posterior to the spleen
- C. Posterior to the right lobe of the liver

ANSWER: A

6. Stomach?

- A. The splenic artery supplies the lesser curvature
- B. left and right gastric arteries

Answer: B

7. Which of the following is correct regarding the rectum?

- A. It has 5 flexures
- B. It has 3 flexures
- C. Contains 3 borders

ANSWER: B

8. All the following are arterial supplies of anal canal except??

- A. median sacral artery
- b. medial sacral artery

Answer: B

The parotid duct pierces the followings EXCEPT?

Select one:

- a. Buccal mucosa.
- b. Buccal pad of fat.
- c. Masseter muscle, ...
- d. Buccinator muscle.
- e. Buccopharyngeal fascia.

1/20/20

Navigation icons

Which of the following muscles is supplied by trunk of mandibular nerve?

Select one:

- a. Musculus uvulae.
- b. Palatopharyngeus muscle.
- c. Palatoglossus muscle.
- d. Tensor palati muscle.
- e. Levator palati muscle.

(D)

According to the flexures of the rectum, which is INCORRECT?

Select one:

- a. Lower lateral is concave to the left.
- b. Anterior-posterior is concave forward.
- c. Upper lateral is concave to the left.
- d. Anterior-posterior is convex forward.
- e. Middle lateral is concave to the left.

(E)

- a. Inferior mesenteric artery.
- b. Superior mesenteric artery.
- c. Splenic artery.
- d. Celiac artery.
- e. Left renal artery.

(C)

Are secretory cells -D

Well defined only around serous acini -E

The fundic gland is lined by all the following **Except**: -2

Mucous neck cells -A

Paneth cells -B

Oxyntic cells -C

Chief cells -D

Neuroendocrine cells -E

M-cells is characterized by following **Except**: -3

Overly the lymphoid follicles of Peyer's patches -A

Their basal lamina invaginations is in contact with -B

macrophages and lymphocytes

They are consider as antigen- presenting cells -C

They secrete lysozyme with antibacterial activity -D