Breast Examination

Dr. Ali Jad Abdelwahab

History

Symptoms of Breast Diseases

- Lump
- Pain
- Change in appearance

Lump

PAINLESS

- Carcinoma
- Cyst
- Fibroadenoma
- An area of fibroadenosis

PAINFUL

- An area of fibroadenosis
- Cyst
- Periductal mastitis
- Abscess
- Carcinoma (sometimes)

Breast Pain

CYCLICAL

- Hormonal influences
- Benign usually

NON-CYCLICAL

- Underlying pathologic process
- More significant

Change in Appearance

CHANGES IN BREAST SIZE AND SHAPE

- Pregnancy
- Carcinoma
- Benign hypertrophy
- Rare large tumors

NIPPLE-AREOLA CHANGES

- Retraction
- Discharge
- Deviation
- Destruction

Relevant Points

- Age
- Previous pregnancies
- Menstrual history
- Medications
- Risk factors for breast cancer

Physical Examination

First

- Introduce your self
- The patient should be accompanied by a relative and a nurse
- Take consent
- Explain what are you going to do
- Start from the normal breast

Exposure

 The patient should be disrobed to the waist



Positions for the Examination

- Setting
- Leaning Forward
- 3) Lying

Steps of the Examination

- Inspection
- Palpation

SETTING

Shape and asymmetry

ARMS BY SIDE



Asymmetry



Bilateral accessory breasts



Number



- Position
- Retraction




Discharge



Destruction



Normal Structure





 Retention Cyst of Montgomery's Gland



Mammary Fistula



Abscess



Visible Veins(Mondor's disease)



Inflammation (Redness)




Peau d'orange





Dimpling




Ulceration or Destruction



Inspection of Visible Swelling

- Site
- Size
- Shape
- Surface
- Edge




Inspection of the Axillae

- Skin
- Masses
- Sinuses




Inspection of the Supraclavicular Fossa and Arm



SETTING

 Skin retraction in the lower quadrants (Tethered to the skin)

ARMS OVER HEAD



SETTING

 Fixation of to the underlying muscle

HANDS PRESSING AGAINST HIPS




LEANING FORWARD


Lesions in the upper quadrants



SUPINE POSITION

- Hand at Forehead Level
- Hand at Neck Level






PALPATION


 Palpate with the palmar surface of the fingers, then palpate with the fingertips



PALPATION

 Palpate the four quadrants first then the retroareolar area and axillary tail.






PALPATION

 Palpate the breast in a systematic manner:

A. "Spokes of a wheel."

B. Concentric circles.



Bimanual Palpation

 Bimanual palpation in very large or pendulous breasts



Structures to be palpated

- Breast substance
- Skin
- Nipple-areola complex
- Muscles
- LNs

Palpation of the Swelling

- Confirm visual impression
- Warmth
- Tenderness.
- Composition.
- Mobility.
- Relations

Palpation of Axillary LNs

LN Groups:

- Central (Apex)
- 2. Lateral
- 3. Pectoral (Medial)
- 4. Infraclavicular
- 5. Subscapular



Have A Nice Day

