



Epidemiological and Research Studies

Prof DR. Waqar Al – Kubaisy

27 th Nov. 2023

Epidemiology

The study of the **distribution and determinants of health- related states** in a **specified population AND**

the application of this study to control of this health problem

- Epi =
- **Demo**=
- Logy=



The essence (core)of epidemiology is to measure disease occurrence and make comparisons between population groups.





Learning objectives: You will learn about Commonly used epidemiological studies and measurements to describe the occurrence of disease, that facilitate understanding of distribution of disease in a given population.





Types of study Designs

Classification and sub-classifications may differ in different references

Qualitative studies

Quantitative studies

Quantitative studies

- **Observational**
- Descriptive
- Case report
- Case series
- Epidemiological reports
- **Analytical**
- Cross-sectional
- Case-control
- Cohort
- **Experimental.**
- randomized controlled trials
- field trials
- community trials

Qualitative studies:



Types of study Designs

TYPES OF STUDY DESIGNS

- Systematic review & meta analysis
- □ Intervention(experimental) studies
- Clinical trials
- Community trials

Observational studies:

- Case-control studies
- Cohort studies
- Cross sectional studies

Descriptive studies:case reports, case series





The hierarchy of research evidence - from well conducted meta-analysis down to ...



Theoretical Design (Research Design)
 Design of Data Collection (Study Design)
 Design of data analysis (Statistical Methods)



- Research Designs
 Etiologic Study
 Prognostic Study
 Diagnosis Study
 Interventional Study
 Prevalence Study
- Study Designs
- *****Observational:
- i. Cross sectional
- ii. Cohort study
- iii. Case control study
- Experimental:
- i.Randomized Controlled Trial



Construct of a Research Design Theoretical Design (Research Design) Design of Data Collection (Study Design) Design of data analysis (Statistical Methods

Design of Data Collection (Study Design)

Types of **study Designs** Classification and sub-classifications may differ in different references

Qualitative studies:



Quantitative studies

Observational Analytical Experimental.

• These are the studies we use in medicine, and public health

• Involving formal, objective information about the world, with mathematical quantification

Qualitative studies:

- It is used in public health studies
- It was introduced from social sciences
- Difficult to define
- But it does not depend on mathematical quantification,
- and relies on researcher(s) observation and opinion



- Qualitative studies:
 In public health, most researchers consider it exploratory research.
- ✓ It is used to gain an understanding of underlying reasons, opinions, and motivations.
- It provides insights into the problem or helps to develop ideas or hypotheses for potential quantitative research.
 Qualitative research is also used to uncover trends in thought and opinions, and dive deeper into the problem.

Methods include

- Focus groups discussion,
- In-depth interviews (detailed), and
- participatory observations.



Quantitative studies

I. Observational studies

Descriptive

Case report Case series Epidemiological reports



Quantitative studies Observational Experimental

Analytical studies Cross-sectional Case-control Cohort

II Experimental.

Observational studies

- Allow nature to take its course:
- the investigator measures but does not intervene.
- They include studies called :
- Descriptive



Observational Experimental

Quantitative studies Quantitative studies

- A descriptive study is limited to a description of the occurrence of a disease (health problem) in a population and is often
- the first step in an epidemiological investigation.
- Analytical
 - An analytical study goes further by analysing relationships between health status and other variables

 Almost all epidemiological studies are analytical in character.
 Pure descriptive studies are rare, But descriptive data in reports of health statistics are a useful source of ideas for epidemiological studies

Experimental studies

Quantitative studies Observational Experimental

Experimental or intervention studies involve an active attempt to change a disease determinant – such as

- an exposure or
- a behaviour –
- or the progress of a disease through treatment,
- Major experimental study designs include the following:
 Randomized controlled trials using patients as subjects
 - (clinical trials),
- Field trials in which the participants are healthy people, and
 - Community trials in which the participants are the communities themselves

Observational studies Descriptive Case report Case series Epidemiological reports Analytical studies Cross-sectional Case-control Cohort Experimental.

Observational studies

Descriptive Case report Case series Epidemiological reports



Observational studies Descriptive Case report



- Case report
- Case series
- Epidemiological reports



- It is thorough description of a case whether a
- * new discovered findings, description of signs and symptoms
- or response to new mode of treatment (descriptive or intervention).
 The major limitations were

Case report uses

- Detecting novelties
- generating hypotheses
- high applicability when other research designs are not possible to carry out,

The major limitations were:
Lack of ability to generalize
no possibility to establish cause-effect relationship,

danger of over-interpretation,
 publication bias (not

reporting negative findings

Case series

Descriptive

It is expansion of case report.

- Observational --descriptive
- Case report
- Case series
- Epidemiological reports
- The description of more than one case and include some characteristics of the case(age, sex, occupation) Case series represents an observational study that reports on data
- from a subject group without a comparison population. This is due to lack of control subjects, making case series prone
- to bias.

Case series have almost the same advantage and disadvantage

of case reports

The information gained can be **used to generate hypotheses** that lead to focused studies of a stronger design.

- The biggest advantage is that case series
- Feasible study designs,
- Easy to conduct and
 - **Require less time and financial resources** than other study designs ¹⁸



Descriptive

Epidemiological reports

- Observational --descriptive
- Case report
- Case series
- Epidemiological reports

□ A simple description of the health status of a community, based on:

- routinely available data or on
- data obtained in special surveys ,

is often the first step in an epidemiological investigation.
 In many countries this type of study is undertaken by a national center for health statistics.

Pure descriptive studies make no attempt to analyze the links between exposure and effect.

□ They are usually based on mortality statistics (life events) and may examine patterns of death by age, sex or ethnicity during specified time periods or in various countries.

Example: reporting data of child mortality rate in Jordan



Analytical studies

- I. Cross-sectional
- II. Case-control III. Cohort

Cross-sectional

- .1. Issues in the design of cross-sectional studies
- 2. Potential bias in cross-sectional studies
- 3. Analysis of cross-sectional studies
- 4. Strengths and weaknesses of cross-sectional studies



Analytical studies Cross-sectional **Issues in the design of cross-sectional studies** 2. Potential bias in cross-sectional studies 3. Analysis of cross-sectional studies 4. Strengths and weaknesses of CSS studies

A cross-sectional study (CSS) examines the relationship between disease (or other health related state) and other variables of interest as they exist in a defined population at a single point in time or over a short period of time (e.g. calendar year). ???

Cross-sectional studies can be thought of as providing a snapshot of the frequency of a disease or other health related characteristics (e.g. exposure variables) in a population **at a given point in time.**

CSS measure **the prevalence of disease** and thus are called **prevalence studies**.



CSS measures the e

prevalence

- A CSS measures the prevalence of health outcomes or determinants of health, or both, in a population at a point in time or over a short period.
- Such information can be used to explore aetiology.
 Data is collected from a sample of population at a point in time.
- CSS are used to assess the burden of disease or health needs of a population and are particularly useful in
 informing the planning and allocation of health resources.
- Data from repeated CSS using independent random samples with standardized definitions and survey methods provide useful indications of trends.



Cont....Cross-sectional studies

- *In sudden outbreaks of disease, a CSS to measure several exposures *can be the most convenient first step in investigating the cause
- In a CSS the measurements of exposure and effect are made at the same time.
- It is not easy to assess the reasons for associations shown in cross-sectional studies.
- CCS are useful for investigating exposures that are fixed characteristics of individuals, such as ethnicity or blood group.
- □ The key question to be asked is whether the exposure precedes or follows the effect.





Cont...Cross-sectional studies

Types of cross-sectional study,

2-Analytical

Analytical CSS may also be used to investigate the association between a putative risk factor

and a health outcome.

However this type of study is limited in its ability to draw valid conclusions as to the **1-Descriptive A CSS may be purely descriptive and used to assess the burden of a particular disease in a defined population.** For example a random sample of schools across Jordan may be used to assess the prevalence of asthma among 12-14 y olds

association between a risk factor and health outcome.

In a CSS the risk factors and outcome are measured

simultaneously, and therefore it may be difficult to determine

whether the exposure preceded or followed the disease.

In practice, CSS will include an element of both types of design

Cont....Cross-sectional studies

1.Issues in the design of cross-sectional studies
 2. Potential bias in cross-sectional studies

CSS

Analysis of cross-sectional studies
 Strengths and weaknesses of CSS studies

1. Issues in the design of cross-sectional surveys Choosing a representative sample

A CSS should be representative of the population if generalizations from the findings are to have any validity.

For example, a study of the prevalence of diabetes among women aged 40-60 years in Town A should comprise a random sample of all women aged 40-60 years in that town.

Sample Size

The sample size **should be sufficiently large enough to estimate the prevalence** of the conditions of interest with adequate precision. **Sample size calculations can be carried out using sample size use as** Epi Info. OpenEpi

2. Potential bias in cross-sectional studies

Non-response is a particular problem affecting CSS and can result in bias of the measures of outcome. This is a particular problem when the characteristics of non- responders differ from responders. Cont....Cross-sectional studies

- 1.Issues in the design of cross-sectional studies
- 2. Potential bias in cross-sectional studies
- 3. Analysis of cross-sectional studies
- 3. Analysis of cross-sectional studies^{Strengths and weaknesses of CSS studies}
- In a cross-sectional study all factors (exposure, outcome, and confounders) are measured simultaneously.
- □ The main outcome measure obtained from a crosssectional study is **prevalence**, that is:

Number of cases in a defined population at one point in time

Prevalence =

Number of persons in a defined population at the same point in time 4. Strengths and weaknesses of CSS

1. Issues in the design of cross-sectional studies

2. Potential bias in cross-sectional studies

3. Analysis of cross-sectional studies

4. Strengths and weaknesses of CSS studies

- Relatively quick and easy to conduct (no long periods of follow-up).
- Data on all variables is only collected once.
- Able to measure prevalence for all factors under investigation.
- Multiple outcomes & exposures can be studied.
- □ The **prevalence** of disease or other health related characteristics are important in public health for
- assessing the burden of disease in a specified
- population and in planning and

Strengths of CSS

- allocating health resources.
 - Good for descriptive analyses and for generating hypotheses

4. Strengths and weaknesses of CSS

Issues in the design of cross-sectional studies
 Potential bias in cross-sectional studies
 Analysis of cross-sectional studies
 Strengths and weaknesses of CSS studies

Weaknesses of CSS

- Difficult to determine whether the outcome followed exposure in time or exposure resulted from the outcome.
- □ Not suitable for studying rare diseases or diseases with a short duration..
- □ Unable to measure incidence.
- Associations identified may be difficult to interpret.
- Susceptible to bias due to low response and misclassification due to recall bias.

Thank you for attention



Analytical studies

- 1. Cross-sectional
- 2. Case-control
- 3. Cohort

Case control Study

basic concepts, application and strengths of CCS Issues in the design CCS Common sources of bias in a CCS Analysis of CCS Strengths and weaknesses of CCS