ارشیف بیالی وح





DONE BY



| 2 | | | | | | | | _ | | | | | | | |
|---|---|-----|-----|-----|---|------|---|---|---------|----|---|---|-----|--------------|----|
| 1 | | M | I۲ | 121 | • | | A | F | C. | ta | n | М | - 1 | \mathbf{a} | r. |
| - | _ | и т | , . | | | II.U | | | - 3 | | | • | | u | |

- **a-** Female education , family spacing, food supplements
- B- Female education, female feeding, family spacing
- C- Family education, food supplements, family spacing
- D- Food education, family spacing, female education

ANSWER: A

- 2) An accurate and early detection of disability called?
- A) Prognosis.
- B) Investigation.
- C)Rehabilitation.
- D) Secondary prevention.
- E) Primary prevention.

ANSWER: D

- 3) Tertiary prevention (rehabilitation) include all the followings EXCEPT?
- A) Measures to compensate for the limitation or loss of function.
- B) Measures to facilitate social adjustment or readjustment.
- C) Services provided to enable the handicapped to make maximum use of their abilities.
- D) Measures to achieve the highest possible degree of "independence".
- E) Measures to eradicate the biochemical or anatomical abnormality.

Answer: E

- 4) Which one of the plays a significant role in early detection of disability?
- A) Mother
- B) Child health centers

| C)Worker | |
|---|-------------------------|
| D) Family | |
| E) Nurse | |
| | Answer: |
| 5) Which one of the followings contraceptive considered as a trace | ditional method? |
| A) Male sterilization | |
| B) Norplant | |
| C) Female condom | |
| D) Coitus Interruptus | |
| E) IUD | |
| | Answer: I |
| 6) Loss or abnormality of psychological or anatomical structure o as? | or function referred to |
| A) Rehabilitation | |
| B) Handicap | |
| C)Impairment | |
| D) Disability | |
| E) Mental retardation | |
| | Answer: |
| 7) The dose of DPT vaccine is? | |
| A) 0.5 ml | |
| B) 0.05 ml | |
| C) 1 ml | |
| D) 0.005 ml | |
| E) 5 ml | |

Answer: A

- 8) The following are TRUE about growth indicators, EXCEPT?
- a Weight-for-age can't indicate obesity
- b Length/height-for-age can't indicate effect of an acute diarrheal episode on child's growth
- C. Weight for age can't be used for refugee children with unknown age
- d. weight-for-length ,/heights to indicate obesity
- e. Weight-for-age may not be accurate if edema present

Answer: D

- 9) The temperature required for proper storage of measles vaccine at the level of local immunization centres is?
- a -20 to +8 C
- b. Zero to -8C
- C +2 to +8 C
- d -2 to +4 C
- e -15 to -30 C

Answer: C

- 10) The following are factors that affect the health of children negatively, EXCEPT?
 - A) Birth order of third or more.
 - B) LOW birth weight.
 - C)Mother with low education.
 - D) Sex of the child.
 - E) Birth spacing of 2-4 years.

Answer: E

11) The cause and probability of dying differ widely between genders. Which of the following rates is the more likely to verify this statement? Select one a Infant Mortality Rate **b** sex Specific Death Rate c. Crude Death Rate d. Cause Specific Death Rate e Maternal Mortality Rate **Answer: B** 12)Probability of dying between 28 days and exactly one year of age expressed per 1.000 live births: A Infant mortality **B** Post neonatal mortality C child mortality D pre neonatal mortality **ANSWER: B** 13)All are peri-natal causes of disabilities except: A Drug **B** Premature infant **C** Infection D Brain haemorrhage **E Teratogen ANSWER: E**

14) impact of consuming contaminated water is:

A Waterborne disease

They took a lecutre about sanitation last year, we did not.

B Water -washed disease

| | | | | _ | _ |
|----|-------------|--------------|----|----|----------|
| ΛІ | NS | 1 A 1 | _ | п. | Α |
| ΔІ | 71 ~ | W | ,, | к. | Δ |
| | | | | | |

15) special success of rehabilitation depends on:

A religion

B age

C type of home

D personal factors

E belief implicitly in success

ANSWER: A

16) Distance between last row and wall should be

A more than 1.5 m

B more than 6 m

C not more than 6 m

D 0.8 m

E none of the above

ANSWER: c

17) Turbidity Of Water Can Be Removed By EXCEPT:

A Boiling

B. Chlorination

They took a lecutre about sanitation last year, we did not.

C Coagulation

D. Filtration

E Aeration

ANSWER: E

18) The Most Common And Most Practical Disinfecting Agent For Drinking Water are the following EXCEPT:

A Ozone

They took a lecutre about sanitation last year, we did not.

B Silver C Uv Rays **D CALCIUM E Chlorine ANSWER: D** 19) consuming contaminated water means? They took a lecutre about sanitation a water-washed diseases last year, we did not. b waterborne disease c water based diseases' **ANSWER: B** 20) destroying all types of microorganisms is called: **A Sterilization** They took a lecutre about sanitation **B** Sanitization last year, we did not. **C** Disinfection **D** Hygiene **ANSWER: A** 21) What causes food poisoning or intoxication: A Ascariasis They took a lecutre about sanitation last year, we did not. **B** Salmonella C Cl.botulinum **D** Amoebiasis **ANSWER: C** 22) The following are FALSE regarding child's health, EXCEPT? A) They are considered a vulnerable segment of the population.

- B) Childhood is characterized by steady growth and development.
- C)Most diseases are hard to prevent and treat.
- D) The child health indicators in a country do not reflect its level of development.
- E) Children have mature immunity and are less prone to infections.

Answer: A

- 23) Loss or abnormality of psychological or anatomical structure or function referred to as?
- A) Rehabilitation
- B) Handicap
- C)Impairment
- D) Disability
- E) Mental retardation

Answer: C

- 24) Which one of the following statements is a contraindication to immunizations?
- A) History of Jaundice at birth
- B) Recent receipt of blood transfusion
- C)Child breast fed
- D) History Of anaphylactic reaction following ingestion Of eggs
- E) Chronic disease of the heart, lungs, kidneys or liver

Answer: B

- 25) All the followings about EPI Objectives are correct EXCEPT?
- A) To maintain immunization safety
- B) To reduce the incidence of whooping coughs, mumps and rubella
- C)To prevent severe forms of TB such as meningitis and pulmonary TB

D) To prepare for introduction of new vaccines according to disease burden and cost effectiveness

E) To eradicate neonatal tetanus

Answer: C

- 26) All the following methods of vaccine administration are correct EXCEPT?
- A) Measles vaccine: sub-cutaneous injection
- B) BCG vaccine: intra-dermal injection in left arm
- C) Hepatitis BV: intra-muscular injection
- D) MMR vaccine: intra-muscular injection
- E) DPT vaccine: intra-muscular injection

Answer: D

- 27) Which one of the plays a significant role in early detection of disability?
- A) Mother
- B) Child health centers
- C)Worker
- D) Family
- E) Nurse

Answer: A

- 28) All are true about Lifetime risk of maternal death, EXCEPT?
- A) Probability measure.
- B) Measured for women age 15-49.
- C)It is high in IOW income countries.
- D)It is low in a high-fertility setting.
- E) Presented as 1 in X.

Answer: D

29) What is the normal height of a 4 year old child?

A 25 cm

B 50 cm / 0.5 m

C 90 cm

D 100 cm / 1 m

ANSWER: D

30) A BMI for age chart shows a reading above 1 what does that indicate?

A Underweight

B possible risk of overweight

C overweight

D obese

ANSWER: B

اللهم علمني ما ينفعني وانفعني بما علمتني وزدني علماً اللهم افتح علي فتوح العارفين بحكمتك وانشر علي رحمتك وذكرني ما نسيت يا ذا الجلال والإكرام اللهم افتح لي أبواب حكمتك وأمنن علي بالحفظ والفهم ، سبحانك لا علم لنا إلا ما علمتنا إنك أنت العليم الحكيم اللهم اني اسالك من فضلك و علم لنا إلا ما علمتك فانه لا يملكها الا أنت...



