
# pharmacology



# Archive Lecture 10

Corrected By : Alaa bn hdayeh

Designed By:
Raneem Dmour



#### pharamcology

Lecture 10

- 1)One of the following drugs could not rise the ADR's:
- a) multivitamins
- b) Fluoroquinolone
- c) corticosteroid
- 2)All of the following is true about teratology except: a.teratogens is specific abnormality b.it is also constellation abnormalities
- c it doesn't demonstrate dose-effect relationship d. It depend on stage of development if fetus
- 3) The the drug that cause cleft palate abnormality is:
- a.phenytoin
- b.androgen
- c.thalidomaid
- d. paracetamol
- 4) abnormal drug reactions due usually to genetic factors affecting tissue enzymes or receptors.:
- a) Idiosyncrasy
- b) Summation
- c) oncogenesis

## pharamcology

#### Lecture 10

- 5) All of these drugs causes ADRs effect on elderly except:
- a) Cardiovascular active agents
- b) Analgesics (opioid mainly)
- c) Antibiotics
- d) Vitamin B complex
- 6)All of the follwing must be considered in prescribing in pregnant woman except:
- a) remember that the fetus is most sensitive in the first trimester
- b) use 'tried and tested' drugs whenever possible in preference to new agents
- c) use the most effective dose
- d) minimize prescribing
- e) All of the above
- 7)Cancer patients in the last stage he take opioids and this drug tolerance , what will increase
- a) therapeutic index
- b) median dose
- c) potency
- 8) All of the following are true about ADRs except:
- A- Type B rxn is predictable
- B-Type B rxn is unpredictable
- 9)All of the following are true about ADRs except:
- **A-Reporting ADRs is compliance**
- **B-none**
- 10)A elderly man who has been taking NSAIDs and another medication for a chronic condition has recently been experiencing increased appetite, insomnia, and stomach pain. These symptoms are most likely due to:
- A) A desired therapeutic effect
- B) An allergic reaction
- C) Side effects of the medications

## pharamcology

#### Lecture 10

- 11) Most frequent drugs causing ADRs in elderly except:
- A- Hypoglycemic agent
- B- Cardiovascular active agent
- **C- Analgesics**
- **D- Vitamins**
- E- Psychotropic agent
- 12)-The doctor advice the pregnant woman to avoid all following except:
- **A-Smoking**
- **B-Eating food**
- C-Abuse c\_alcohol
- **D\_over thecounter**
- 13)- All of the following are drug avoided to lactic wemon except
- A-Vitamin
- **B-Sedative**
- **D-Hypnotic**
- 14)- All the following ... of thalidomide except:
- A-only in upper limb
- B-Used in pregnancy as anti-emetic but withdrawn due to teratogenicity
- 15) Which of the following best describes a drug that produces a characteristic withdrawal syndrome upon discontinuation?
- A) An analgesic
- B) An antibiotic
- C) A drug of abuse
- D) A vitamin supplement