

Epidemiology

Archive

Lecture 7

archive

Corrected By :

Mohammed
aldahamsha

1. Concurrent disinfection ? Select one

- a. Giving prophylactic treatment to contact
- b. Killing microorganism inside human body (patient)
- c. Destroying pathogenic organism following removal of patient
- d. Carried out during a period of communicability of that infectious disease
- e. Carried out on the contact of patient

answer: d

2. in disease prevention, the specific protection mode includes all following except

- a. Iodisation of salt
- b. Chemoprophylaxis for meningococcal meningitis
- c vaccination
- d. Use condom
- e. Personal hygiene and sanitation environmental

answer: e

3. Reduction In the disease incidence to a level. where it stops to be a public health problem Is? Select one

- a surveillance
- b. Elimination
- c .Eradication
- d control
- e . quarantine

answer:d

4. Disinfection of water by chlorination?

Precurrent/ prophylactic disinfection

5. Concurrent disinfection During period of communicability

6. The duration of a disease quarantine should be within the?

- a. Period of communicability
- b. During the whole disease period
- c. Period of infectivity
- d. Maximum incubation period
- e. Minimum incubation period

Answer d

7. Quarantine

Maximum incubation period

8. Isolation

period of communicability

9. Which of the following best describes the purpose of screening?

- A. To determine the exact diagnosis of a disease.
- B. To inform individuals about the symptoms of a disease.
- C. To identify individuals at risk of a disease before symptoms appear.
- D. To manage and treat individuals who already have the disease.

Answer c