

Public Health

Archive

Lecture 15

(Child's Healthcare [II]: Dr. Israa)

Medical card

Name _____

Date of b

Gender _____

Address _____

Date of call _____

Corrected By :

shaden al-matar.

Designed By :

Raneem Dmour



1. One is TRUE about diarrheal diseases in children:

- a. Diarrhea is defined by the number of stools passages.
- b. Bacteria are more common cause of diarrheal diseases than viruses.
- c. First leading cause of under-five mortality.
- d. Most common virus for diarrheal disease in children is adenovirus.
- e. Diarrheal disease and malnutrition can cause each other.

Answer: E

2. All of the following are TRUE about ARI, EXCEPT:

- a. Upper and Lower ARIS are separated by the epiglottis.
- b. 90% are caused by respiratory syncytial virus.
- c. Can present with ear problems.
- d. More in rural areas.
- e. Four to eight acute respiratory infections occur yearly in most children.

Answer: Both B and D are incorrect.

3. One of the following is TRUE about persistent diarrhea:

- a. It lasts for more than 4 days.
- b. It is caused by metabolic diseases.
- c. It can contain DIOM
- d. It has low risk of dehydration.
- e. It is due to non-infectious causes.

Answer: C

** DIOM (Diarrhea and Inflammation of the Mucosa) refers to chronic inflammation of the intestinal mucosa, which can lead to persistent diarrhea**

4. The following are characteristics for the child in the picture, EXCEPT:

- a. Low protein intake.
- b. Old man's face.
- c. Weight for height is very low.
- d. No hair changes.
- e. Good appetite.



Answer: A+d

5. One of the following is TRUE about integrated management of childhood illness (IMCI):

- a. Aim to make a single diagnosis.
- b. Treat health conditions separately.
- c. Occurs at two levels organizational and clinical levels.
- d. Green means treat at home.
- e. Yellow means need for admission.

Answer: D

IMCI has 3 different components that work together: organizations, clinicians and communities**

6. One is FALSE about diarrhea disease in children:

- a. Diarrhea is defined by the number of stools passages.
- b. Viruses are more common cause of diarrheal disease than bacteria.
- c. Second leading cause of under-five mortality.
- d. Most common virus for diarrheal disease in children is rotaviruses.
- e. Diarrheal disease and malnutrition can cause each other.

Answer: A

7. The following are characteristics for the child in the picture, EXCEPT:

- a. Low protein intake.
- b. Moon face.
- c. Weight for height is very low.
- d. Hair changes present.
- e. Poor appetite.



Answer: C

8. All of the following are TRUE about ARI, EXCEPT:

- a. Upper and Lower ARIS are separated by the epiglottis.
- b. 90% are caused by Streptococcus pneumonia.
- c. Can present with ear problems.
- d. More in big cities.
- e. Four to eight acute respiratory infections occur yearly in most children.

Answer: B

9. One of the following is TRUE about IMCI:

6 | Page

- a. Aim to make a single diagnosis.
- b. Treat health conditions separately.
- c. Occurs at organizational, clinical and communitarian levels.
- d. Yellow means treat at home.
- e. Green means need for admission.

Answer: C

10. One of the following is TRUE about persistent diarrhea:

- a. It lasts for more than 4 days.
- b. It is caused by metabolic diseases.
- c. It can contain blood.
- d. It has low risk of dehydration.
- e. It is due to non- infectious causes.

Answer: C

11. The best way to reduce diarrhea is:

- a. Handwashing with soap
- b. Access to safe drinking water
- c. Rotavirus vaccination
- d. Measles immunization
- e. Health education

Answer: A

