

pharmacology

Archive

Lecture 20

Medical card

Name _____

Date of b _____

Gender _____

Address _____

Date of call _____

Designed By :

Raneem Dmour



The following are useful in treatment of patients with AIDS virus except?

Select one :

- a. Ganciclovir *
- b. Zidovudine
- c. Nevirapine
- d. Indinavir
- e. Lamivudine

ANSWER*a

Regarding mechanism of action of FLUCYTOSINE, the following sentence is correct? select one

:

- a. it inhibits nucleic acid synthesis.
- b. it inhibits ergosterol.
- c. it interferes With microtubular function.
- d. it produces artificial pores in cell membrane.
- e. t inhibits glucose polymer.

ANSWER*a

Adverse effects of zidovudine in treating HIV patients include the following except?

Select one :

- a. Myopathy
- b. Neutropenia
- c. Hepato megally with cholesteatosis
- d. Pancreatitis
- e. Lactic acidemia

ANSWER*b

The following do not match except?

- a. **Interferon alfa-2b**: Stimulation of appetite, restlessness motor overactivity
- b. **Ganciclovir**: Neutropenia
- c. **Zidovudine**: Peripheral neuropathy
- d. **Oseltamivir**: Bronchospasm.
- e. **Amantadine Neuraminidase** inhibitor against influenza A2

ANSWER*b

All the following about neuraminidase inhibitors are true EXCEPT:

- A. They prevent the release of new virions
- B. They are effective against influenza type A and B
- C. Oseltamivir is administered orally
- D. Zanamivir is given intranasally
- E. Zanamivir can be given to patients with asthma

ANSWER*E

All following about therapy of hepatic viral infections are true EXCEPT:

- A. Antiviral agents are available only for hepatitis B & C
- B. Chronic hepatitis B is treated with lamivudine
- C. Chronic hepatitis C is treated with interferon alpha & ribavirin
- D. Interferon is administered orally
- E. Interferon can produce flu-like symptoms

ANSWER*D

All following about treatment of herpesvirus infections are true EXCEPT:

- A. Herpes simplex infection type 1 is treated topically
- B. Herpes simplex infection type 2 is treated orally
- C. Herpes zoster (shingles) requires systemic antiviral therapy
- D. Chickenpox in adults requires antiviral agents
- E. Chickenpox in children requires antiviral drugs

ANSWER*E

All the following about antiviral drugs are true EXCEPT:

- A. Amantadine is used in treatment of influenza type A
- B. Ribavirin is used to treat severe RSV infection in children
- C. Acyclovir is used for therapy of genital herpes infections
- D. Zidovudine is used for treatment of HIV infection
- E. Lamivudine is used for treatment of herpesvirus infection

ANSWER*E

I

The following drugs are useful against herpes zoster except?

- a. Famciclovir
- ib. Acyclovir
- C. Cidofovir
- d. Valaciclovir
- e Interferon - alpha 2b

ANSWER*e

Acyclovir Which of the following is false?

- a. inhibits DNA synthesis of herpes viruses.
- b. is indicated by iv. administration in herpetic encephalitis
- c its blood level is high if valacyclovir is given orally
- d. May precipitate in renal tubules with IV therapy
- e. is effective against RSV virus infection in infants.

ANSWER*e

Medical card .

Name _____ Surname _____

Gender _____ Date of birth _____

Address _____

Date of call _____

Age _____

