
Archive

Q1:





What is the finding? Bulged anterior frontanell

Type of organism? GBS

Treatment? Ampicillin + 3rd generation cephalosporin

Duration of treatment? 14 days

Q2 : Development age ?



10 months



18 month



12 month




24 month

Q3 Complete the table

	Age	Vaccine
	Within 1st month	BCG Vaccine
	2 months Day 61	Hexaxim vaccine (Hexa) - first dose, ROTA vaccine - first dose
	3 months Day 91	Hexaxim vaccine (Hexa) - second dose, ROTA vaccine - second dose, OPV - first dose
	4 months Day 121	Hexaxim vaccine (Hexa) - third dose, ROTA vaccine - third dose, OPV - second dose
	9 months	Measles vaccine, OPV - third dose, Vitamin A (100 thousand international units)
_ }(12 months	MMR-1, HAV
	18 months	MMR-2, DaPT, OPV. HAV, Vit A (200 thousand international units)
	6 years	Td
_	15 years	Td








Finding? Leukocoria

Diagnosis? Retinoblastoma





Finding? Hypersegmentre neutrophil

Diagnosis? Megaloblastic Macrocyric Anemia due to B12 or folate deficiency






Radiological finding? Right upper lobe Consolidation

Two findings on Physical exam?

Auscultation —> decrease breath sound Percussion—> dullness

on Rt. side





Finding? Polyp

Managegment? Remove by Surgery





Finding? Dermatitis herpitformis

Lab ? Anti-TTG lgA + total serum lgA





Two findings in UTI 1)Leukocyte esterase 2) Nitrites



On left side of face there is

1)loss of nasoliblial fold
2 Incomplete closure of eye

Diagnosis? Left facial nerve palsy (LMN)

1) Dx Meconium aspiration


2) Treatment (which was a case of non-vigorous meconium aspiration): HR<100

- Use direct laryngoscopy, intubate, and suction the trachea immediately after delivery.
- Suction for no longer than 5 seconds.
- Suction before his first breath

3) 2 Complications:

- O Persistent pulmonary HTN
- O Pneumothorax





What is the clinical findings? Failure to thrive type 2

Tests help in diagnosis? Sweat chloride

Genetic



Diagnosis? Tetratology of Fallot

How to manage

Supplemental O2
Fluid bolus i.v.
Morphine i.v.
NaHCO3 to correct metabolic acidosis (
Phenylephrin
b-blocker

Knee-chest position



Name of syndrome? Williams syndrome

Most specific cardiac abnormality? Supra valvular Aortic stenosis

Osce

- 3 Stations
- 1) 12 year old with yellow skin
- 2) 24 hour (neonatal sepsis)
- 3) 3 year old Anemia differentiate between (IDA and thslasemia)