

GIT-pharmacology



Archive

Lecture 3

Peptic ulcer and GERD treatment

Done by :

Orjwan Mawajdeh

Pharma - lecture (3)

1- Gynecomastia is related to which of the following drugs :

- A- Omeprazole.
- B- Cimetidine.
- C- Misoprostol.
- D- Telenzepine.
- E- Sucralfate.

Answer: B

2. man with peptic ulcer have milk release from nipple what is the drug may cause it :

- a. Omeprazole
- b. Metoclopramide
- c. H₂ histamine
- d. cimetidine

Answer: d

3. H. Pylori is in:

- a. fundus
- b. cardiac notch
- c. body of stomach
- d. antrum

Answer: d

Pharma - lecture (3)

4.All the following drugs can be used in the treatment of peptic ulcers,EXCEPT?

- A.Bismuth sub salicylate
- B. Famotidine
- C. Prednisolone
- D.Mg hydroxide
- E.Esomeprazole

Answer: C

كُلَّمَا شَعَرْتَ بِأَنَّ رُوحَكَ تَخْبُو، فَأَوْقِدْهَا بِهَذِهِ الْعِبَارَةِ: "إِنَّ الرَّاحَةَ لَا تُدْرِكُ بِالرَّاحَةِ" ادرس بقدر استطاعتك، لَا مَا يَقِلُّ عَنْهَا فَيَأْكَلُكَ الدَّم، وَيَنْهَشُكَ ضَمِيرُكَ الدَّرَاسِيَّ نَهْشًا إِنَّ تَدَنَّتْ عَلَامَاتُكَ بِسَبَبِ تَقْصِيرِكَ وَتَقَاعُصِكَ بَلْ وَتَتَحَسَّرَ عَلَى مَا فَرَّطْتَ فِي دِرَاسَتِكَ..

وَلَا مَا يَزِيدُ عَلَيْهَا فَتَهْلِكُ، وَلَا تُرْهِقِ نَفْسَكَ وَتُحْمَلِهَا مَا لَا تَطِيقُ! فَالْتَوَتِرِ، وَالْقَلْقُ، وَالْخَوْفُ لَنْ يَنْفَعَكَ بِشَيْءٍ بَلْ سَيُضِرُّكَ.

كُلُّ مَا عَلَيْكَ فَعَلُهُ الْآنَ هُوَ أَنْ تُجَدِّدَ نِيَّتَكَ وَتَنْوِي نِيَّةَ طَالِبِ الْعِلْمِ، ثُمَّ تَأْخُذْ بِالْأَسْبَابِ، وَتَدْرُسَ، وَتَتَوَكَّلَ عَلَى الْحَيِّ الَّذِي لَا يَمُوتُ.

مَجْدُ طَلَاغِهِ -