



# GIT- pathology

---

## Archive

### Lecture 5

Small and Large Intestinal  
pathology, part 2

## patho - lecture (5)

Main feature that found in Crohn's disease and not in ulcerative colitis :

- A- Crypt abscesses.
- B- Paneth cell metaplasia.
- C- Smoking improve disease.
- D- Limited to colon and rectum.
- E- Inflammation extend from mucosa to muscularis

Answer:E

which of the following isn't in ulcerative colitis :

- A.Toxic megacolon
- B.Diffuse distribution
- C.Always rectal involvement
- D.Noncaseating granuloma

Answer:d

A 55-year-old white female with a 30-year history of ulcerative colitis returns for a follow-up visit. She recently recovered from an acute exacerbation for which she was hospitalized and given immunosuppressive therapy, to which she responded. She knows about her increased risk for adenocarcinoma of the colon. Which of the following is more common in patients who suffer from UC than Crohn's disease?

- A. Toxic megacolon
- B. Malabsorption
- C. Fistula formation
- D. Granulomas
- E. Small intestinal ulcers

ANSWER: A

## patho - lecture (5)

Which of the following is characteristic of Crohn's disease and not of ulcerative colitis.?

- A. rectal blood
- B. rectum is often spared
- C. is diffuse
- D. fistulas less common
- E. usually only affects the mucosa and the submucosa

Answer: B

2. which of the following is more specific for ulcerative colitis than Crohn's disease.?

Answer: In rectum with continuous pattern