

21) Which of the following is correct according to shoulder joint?

- A) Short head of biceps enter the capsule
- B) The capsule encloses surgical neck
- C) Capsule is attached to subacromial bursa anteriorly
- D) Pectoralis major and teres major causes medial rotation of shoulder

Answer: D

23) InCorrect about brachial plexus

- A) Suprascapular is from ventral ramus
- B) Long thoracic nerve is formed from 5,6 & 7 brachial roots and innervates latissimus dorsi
- C) trunks form anterior and posterior divisions

Answer: B

25) a patient can't raise his arm completely, and pushing the scapula causes scapula wingning, which axillary wall is affected?

- A) anterior
- B) medial
- C) posterior
- D) lateral

Answer: B

30) Nerve responsible to innervate the muscle to abduct the arm from 0 to 15:

Suprascapular nerve

أرشف  
محاضرات  
الأسبوع  
الثالث

34) One muscle is from rotator cuff: muscles

A) Infraspinatus

B) pectoralis major

C) teres major

D) latissimus dorsi

Answer: A

44) Which of the following that make a medial rotation in shoulder joint?

*Teres major*

47) nerve that has direct relation with surgical neck of humerus:

*Nerve to deltoid (axillary nerve)*

✓ Q57 ) One of the following nerves has roots from two cords of the brachial plexus

Select one:

- a. Posterior interosseous nerve
- b. Ulnar nerve
- c. Median nerve
- d. Thoracodorsal nerve
- e. Radial nerve

Answer: C

✓ Q50 ) One of the following muscles is 'rotator cuff' muscles. Select one:

- a. Teres major
- b. Serratus anterior
- c. Subscapularis
- d. Trapezius
- e. Rhomboid major

Answer: C

✓ Q48 ) The long thoracic nerve contains nerve roots. Select one:

- a. C3.4.5
- b. C4. 5.6
- c. C5 6 7 .
- d. C6. 7.8
- e. C7.8.T1

Answer: C

✓ Q47 ) The axilla contains all of the following EXCEPT: Select one:

- a. Axillary artery
- b. Axillary fat
- c. Trunks of brachial plexus
- d. Axillary vein
- e. Cords of brachial plexus

Answer: C

✓ Q27 ) Which of the following is NOT branch from the cords of the brachial plexus? Select one:

- a. Medial cutaneous nerve of the arm
- b. Dorsal scapular nerve
- c. Lower subscapular nerve
- d. Thoracodorsal nerve
- e. Medial cutaneous nerve of the forearm

Answer: B

✓ Q27 ) Which of the following is NOT branch from the cords of the brachial plexus? Select one:

- a. Medial cutaneous nerve of the arm
- b. Dorsal scapular nerve
- c. Lower subscapular nerve
- d. Thoracodorsal nerve
- e. Medial cutaneous nerve of the forearm

Answer: B

✓ Q26 ) The surgical neck of the humerus is. Select one:

- a. True anatomical neck
- b. Same as tuberosity
- c. Important landmark to posterior circumflex artery
- d. Common origin for the flexor muscles
- e. Important landmark for the axillary artery

Answer: C

✓ Q22) which of the following does not cross the shoulder joint? Select one:

- a. Long head of Biceps brachii
- b. Teres major
- c. Coracobrachialis
- d. Teres minor
- e. Deltoid

Answer: B

✓ Q42 ) Which of the following arises from the upper trunk of the brachial plexus? Select one:

- a. dorsal scapular nerve
- b. upper subscapular nerve
- c. thoracodorsal nerve.
- d. suprascapular nerve
- e. medial pectoral nerve

Answer: D

✓ Q38 ) identify the incorrect pairing for testing muscles: Select one:

- a. Suprascapular nerve Supraspinatus and infraspinatus muscles
- b. Deltoid axillary nerve
- c. Rhomboids Dorsal scapular nerve
- d. Serratus anterior long thoracic nerve
- e. Pectoralis minor- Lateral pectoral nerve

Answer: E

✓ Q33 ) Choose the incorrect The brachial plexus has. Select one:

- a. roots
- b. trunks.
- c. divisions.
- d. cords.
- e. 10 branches

Answer: E

✓ Q30 ) Which of the following arises from the upper trunk of the brachial plexus? Select one:

- a. dorsal scapular nerve
- b. upper subscapular nerve
- c. thoracodorsal nerve.
- d. suprascapular nerve
- e. medial pectoral nerve

Answer: D

✓ Q17) Which of the following is NOT boundary of the quadrangular space? Select one:

- a. Long head of biceps brachii
- b. Teres major
- c. Long head of triceps brachii
- d. Teres minor.
- e. Shaft of the humerus

Answer: A

✓ Q11) Damage to the posterior cord of the brachial plexus would most likely result in weakness of which of the following muscles? Select one:

- a. Coracobrachialis
- b. Flexor carpi radialis
- c. Latissimus dorsi
- d. Pectoralis major
- e. Supraspinatus

Answer: C

✓ Q7 ) Which of the following is branch of the LATERAL cord of the brachial plexus? Select one:

- a. medial pectoral nerve
- b. thoracodorsal nerve
- c. suprascapular nerve
- d. long thoracic nerve
- e. musculocutaneous nerve

Answer: E

Q37) One of the following muscles is NOT 'rotator cuff' muscles. Select one

- a. Teres minor
- b. Serratus anterior

10

- c. Supraspinatus
- d. Infraspinatus
- e. Subscapularis

Answer: B

Q39) Which of the following is NOT branch from the cords of the brachial plexus? Select one

- a. Medial cutaneous nerve of the arm
- b. Long thoracic nerve
- c. Lower subscapular nerve
- d. Thoracodorsal nerve
- e. Medial cutaneous nerve of the forearm

Answer: B

Q40) Damage to the medial cord of the brachial plexus would most likely result in weakness of which of the following muscles

Select one

- a. Coracobrachialis
- b. Extensor carpi radialis
- c. Latissimus dorsi
- d. Pectoralis major

medial cord → branch → Medial pectoral nerve  
pectoralis major ← its

11

- e. Supraspinatus

Answer: D

Q45) Which of the following arises from the upper trunk of the brachial plexus? Select one

- a. dorsal scapular nerve
- b. upper subscapular nerve
- c. thoracodorsal nerve:
- d. subclavius nerve = Nerve to subclavius
- e. medial pectoral nerve

Answer: D

Q47) Identify the incorrect pairing for the following: Select one

- a. Supraspinatus superior scapular nerve
- b. Deltoid axillary nerve
- c. Rhomboids Dorsal scapular nerve
- d. serratus anterior long thoracic nerve
- e. Pectoralis major— Lateral pectoral nerve

Answer: A

13

Q3 ) Which of the following IS boundary of the quadrangular space? Select one

- a. Long head of biceps brachii
- b. Pectoralis major
- c. Short head of triceps brachii
- d. Pectoralis minor
- e. Shaft of the humerus

(Surgical neck of the humerus)

✓ Answer: E

Q9 ) The surgical neck of the humerus is: Select one

- a. True anatomical neck
- b. Same as the tubercle
- c. Important landmark for the axillary nerve
- d. Common origin for the flexor muscles
- e. Important landmark for the axillary artery

→  
عند مفصل  
Lab 1 - P. 23

✓ Answer: C

Q13 ) The Dorsal scapular nerve contains nerve roots: Select one

- a. C3
- b. C4
- c. C5
- d. C6
- e. C7

✓ Answer: C

Q19 ) The brachial plexus has: Select one

- a. 5 roots
- b. 5 trunks
- c. 3 divisions
- d. 4 cords

6

- e. 10 branches

✓ Answer: A

Q49 ) Which of the following is DIRECT continuation of medial cord of the brachial plexus? Select one

- a. medial pectoral nerve
- b. thoracodorsal nerve
- c. ulnar nerve
- d. long thoracic nerve
- e. musculocutaneous nerve

✓ Answer: C

Q53 ) One of the following nerves has root from the lateral cord of the brachial plexus. :Select one

- a. Posterior interosseous nerve
- b. Ulnar nerve
- c. Median nerve
- d. Thoracodorsal nerve
- e. Radial nerve

Lat cord → Lat Root of median nerve  
Median nerve branch

✓ Answer: C

لا تنسونا من صالح دعائكم

بالتوفيق

لجنة الطب والجراحة