

ARCHIVE

Introduction to clinical years

SUBJECT:

GI

Done by:

عمران يونس سلمى عبدالكريـم مبة مكاوي





«سَبِيلُ العُلا عَالِ علىٰ مَن تَعَللا ومَن جَدّ في سَعي لأمرٍ تَمَكنا»

الفريق الأكاديمي

- 1. All of these are causes of huge splenomegaly Except:
- A. chronic myeloid leukemia
- B. myelofibrósis
- C. sickle cell anemia
- D. malaria
- E. thalassemia

Answer: c

- 2. False about colorectal cancer:
- A. Weight loss
- B. Bright red bloody stool
- C. Dark tarry stool
- D. Severe abdominal pain

Answer:D

- 3. All of the following are causes of hepatomegaly except:
- A. Chronic myeloid leukemia (CML)
- B. Right heart failure
- C. Secondary metastatic cancer
- D. End stage liver cirrhosis

Answer: D

- 4. The following symptoms are usually indicating a serious disease except: Select one:
- A. Jaundice
- B. Fever
- C. Dysphagia
- D. Persistent vomiting
- E. Weight loss

Answer: A wareed

- 5. Unintentional weight loss is defined as: Select one:
- A. Loss of more than 10% body weight over 1 year
- B. Loss of more than 5% body weight over 6 months
- C. Loss of more than 15% body weight over 6 months
- D. Loss of more than 10% body weight over 6 months
- E. Loss of more than 15% body weight over 1 year

Answer: B wareed

- 6. The most important criterion for diagnosing the cause of abdominal pain is the pain: Select one:
- A. Acute cholecystitis
- B. Acute appendicitis
- C. Ureteric obstruction
- D. Perforated gastric ulcer
- E. Acute colitis



Answer: D wareed

«سَبِيلُ العُلا عَالِ علىٰ مَن تَعَللا ومَن جَدّ في سَعي لأمرٍ تَمَكنا»

الفريق الأكاديمي

- 7. Constipation can be caused by all of the following Except: Select one:
- A. Stroke
- **B.** Parkinson disease
- C. Hyperthyrodisim
- D. Hypercalcemia
- E. Intestinal obstruction

Answer: C wareed

- 8. If a patient says that he had abdominal pain, fever and diarrhea for 1 month but came to ER last night because he passed black soft stool per rectum, then his chief complaint is: Select one:
- A. Abdominal pain.
- **B.Fever**
- C. Melena
- D. Hematochezia.
- E. Diarrhea.

Answer: C wareed

- 9. Exudative ascites can be caused by: Select one:
- A. liver cirrhosis
- **B.** Nephrotic syndrome
- C. Protein-losing enteropathy
- D. Hepatic vein thrombosis
- E. Intra-abdominal malignancy with peritoneal spread

Answer: E wareed

- 10. Right upper quadrant pain with pain at the tip of right shoulder due to acute cholecystitis best described as: Select one:
- A. Right upper quadrant pain referred to the tip of right shoulder
- B. Right upper quadrant pain radiate to the tip of right shoulder
- C. Right upper quadrant pain shifted to the tip of right shoulder
- D. No relation between pain at the tip of right shoulder and right upper quadrant pain
- E. The association between the two sites is embryological in origin

Answer: A wareed

- 11. Tenesmus is:
- A. Inability to pass gas on bowel movement
- B. Frequent passage of hard stool
- C. Anal pain during defecation
- D. The passage of coffee grounds- like dark brown stool
- E. The sensation of needing to defecate although the rectum is empty

Anwer: E wareed

«سَبِيلُ العُلا عَالِ علىٰ مَن تَعَللا ومَن جَدّ في سَعي لأمرٍ تَمَكنا»

الفريق الأكاديمي

- 12. Which of the following describes dysphagia correctly? Select one:
- A. Neurological dysphagia is worse for solids than for liquids
- B. Neuromuscular dysphagia presents in old age group
- C. Dysphagia of recent onset with weight loss and no history of heart burn could suggest esophageal cancer
- D. Mechanical dysphagia is often due to esophageal spasm

E.Neuromuscular dysphagia can be a manifestation peptic esophagitis

Answer: C wareed

- 13. Unconjugated bilirubin became conjugated bilirubin by the action of: Select one:
- A. Heme oxygenase
- B. Beta glucuronidase
- C. Alpha glucuronidase
- D. UDP-glucuronyl-transferase
- E. Alkaline Phosphatase

Answer: D wareed

- 14. Acute diarrhea usually occurs with: Select one:
- A. Ulcerative colitis
- **B.** Bacterial colitis
- C. Irritable bowel syndrome
- D. Parasitic infestations
- E. Colorectal cancer

Answer: B wareed

- 15. The following cases are noted to cause painful mouth ulcers except: Select one:
- A. Peptic ulcer disease
- **B.** Iron deficiency
- C. Celiac disease
- D. Ulcerative colitis
- E. Vitamin B12 deficiency

Answer: A wareed

- 16. Heart burn means:
- A. Chest pain.
- B. Acidity sensation that goes up and down the chest.
- C. Difficulty in swallowing.
- D. Pain in the upper abdomen.
- E. Pain in the heart.

Answer: B wareed



«سَبِيلُ العُلا عَالِ علىٰ مَن تَعَللا ومَن جَدّ في سَعيٍ لأمرٍ تَمَكنا»

الفريق الأكاديمي

- 17. Visceral abdominal pain, one is FALSE:
- A. Can be caused by distension of holloworgans.
- B. Poorly localized in the midline.
- C. Conducted via sympathetic splanchnic nerves.
- D. Pain arises from the parietal peritoneum and abdominal wall.
- E. Central abdominal pain arises from midgut structures

Answer: D wareed

- 18. Right upper quadrant tenderness may indicate pathology in the?
- A. Liver, or gallbladder
- B. Spleen and stomach
- C. Sigmoid colon
- D. Appendix or ileocecal valve
- E. Spleen, or rectum

Answer: A wareed

15. The following cases are noted to cause painful mouth ulcers except:

Select one:

- A. Peptic ulcer disease
- **B.** Iron deficiency
- C. Celiac diseasé
- D. Ulcerative colitis
- E. Vitamin B12 deficiency

Answer: A wareed

- 19. Chronic diarrhea can be caused by all of the following Except:
- A. Malabsorption
- B. Short gut syndrome
- C. Inflammatory bowel disease as ulcerative colitis
- D. Coeliac disease
- E. Infective gastroenteritis

Anwer: E wareed

- 20. Jaundice appears first in the:
- A. Trunk
- B. Upper limb
- C. Sclera
- D.. Lower limb
- E. Stool

Answer: C wareed



«سَبِيلُ العُلا عَالِ علىٰ مَن تَعَللا ومَن جَدّ في سَعي لأمر تَمَكنا»

الفريق الأكاديمي

- 21. One of the classical symptoms of acute appendicitis is shifting of pain which best described as:
- A. The pain starts in the periumbilical area, which disappears after a while then the pain appears in the right iliac fossa.
- B. The pain starts in the periumbilical area then the pain appears in the right iliac fossa simultaneously.
- C. Classically the pain of acute appendicitis starts in the right iliac fossa then appears in the periumbilical area.
- D. Shifting of pain can be explained by the dermatome of the appendix.
- E. Shifting of pain can be explained as somatic pain became visceral pain.

Anwer: A wareed

- 22. Symptoms arising from the GIT are usually due to:
- A. Peptic ulcer disease
- B. Inflammatory bowel disease
- C. Irritable bowel disease
- D. Hidden cancer
- E. GI infections

Answer: C wareed

- 23. Which of the following best describes the pain arising from foregut derivatives:
- A. Well-localized
- B. Sharp
- C. Usually associated with huge abdominal distention
- D. Usually localized in the epigastric area
- E. Usually felt as superficial pain

Answer: D wareed

- 24. Which of the following terms is used to describe bad mouth odor?
- A. Xerostomia
- B. Dysgeusia
- C. Aerophagia
- D. Halitosis
- E. Lichen Planus

Answer: D wareed



«سَبِيلُ العُلا عَالِ على مَن تَعَللا ومَن جَـدَّ في سَعي لأمرِ تَمَكنا»

الفريق الأكاديمي

25. Which of the following conditions will not cause bile-stained vomiting?

A. Colonic obstruction

B. Pyloric obstruction

C. Jéjunal obstruction

D. Cécal obstruction E. Ileal obstruction

Answer: B wareed

26. The most important criterion for diagnosing the cause of abdominal pain is the pain:
A. Radiation
B. Character
C. Site
D. Severity

E. Frequency

Answer: C wareed

27. Hematmesis:

A. Coughing blood

B. vomiting coffee ground C. Tarry black stool D. Fresh rectal blood

Answer: B

28. The wrong statement about jaundice:

A. Uncojugated cause clay stool with dark urine

B. May be a consequence of pancreastic cancer

C. First sign of jaundice is yellow discoloration of sclera

D. Conjucăted jaundice causes itching

Answer: A

29. Does not cause splenomegaly:

A. SCA

30. Abdominal rigidty indicates:

A. Gastric cancer

B. Jaundice

C. Irritable bowel syndrome

D. diffuse peritonitis

Answer: D

31. Symptoms of hyperthyrodisim except:

A. Hyperhidrosis

B. Pálpitation

C. constipation D. Weight loss

32. Hirstusm is not caused by: A. liver disease



Answer: C

«سَبِيلُ العُلا عَالِ على مَن تَعَللا ومَن جَـد في سَعي لأمر تَمكنا»

الفريق الأكاديمي

Archive " specific examination"

- 1) All causes of hepatomegaly except : a. Chronic myeloid leukemia (CML)
- b. Right heart failure
- c. Secondary metastatic cancer
- d. End stage liver cirrhosis

Answer: d

2) rovsing sign examination is:

A- Ask the patient takes a deep breath in, gently palpate in the right upper quadrant of the abdomen

B-Palpation in the left iliac fossa produces pain in the right iliac fossa C- Ask the patient to flex their thigh against the resistance of your hand

D- Palpation in the right iliac fossa produces pain in the left iliac fossa

Ans: B

- 3)All of these are causes of huge splenomegaly Except:
- A- chronic myeloid leukemia
- **B- myelofibrosis**
- C- sickle cell anemia
- D- malaria
- E- Thalassemia

Ans: C

4) Spleeomegaly expet:

- A- start to examin from LIF
- B- has to enlarge threefold before it becomes palpable
- C- enlarges from under the left costal margin down and medially
- D-Palpable notch on the medial surface

Ans: A

5)Left kidney enlargement can be differentiated from splenic enlargement by one of the

following: Select one:

- a. Resonant mass on percussion
- b. Presence of palpable medial notch
- c. The mass descend superficially and diagonally in inspiration
- d. Presence of smooth and regular shape mass
- e. The mass can cross the midline

Ans: A

6)On inspection of the abdomen; which of the following is best inspected from the foot of the

bed:

Select one:

- a. Scars
- b. Hair distribution
- c. Visible veins
- d- Abdominal symmetry
- e- Stomas



Ans: d

«سَبِيلُ العُلا عَالِ علىٰ مَن تَعَللا ومَن جَدّ في سَعي لأمر تَمَكنا»

الفريق الأكاديمي

7)All the following regarding abdominal examination are true, Except? Select one:

- a. Rebound tenderness is a sensitive sign of intra-abdominal disease
- b. The direction of spleen enlargement is mainly towards the left iliac fossa
- c. The aorta may be palpable in thin person
- d. Shifting dullness is a sensitive test for ascitis
- e. The liver edge palpation can be started in the right iliac fossa

Ans: b

- 8) Exudative ascites can be caused by: Select one:
- a. liver cirrhosis
- b. Nephrotic syndrome
- c. Protein-losing enteropathy
- d. Hepatic vein thrombosis
- e. Intra-abdominal malignancy with peritoneal spread

Ans: e

- 9)Abdominal rigidity by physical examination is best described as: Select one:
- a. Voluntary muscle contraction.
- b. Involuntary muscle contraction.
- c. Reflects a localized inflammatory process.
- d. Can be a physiological finding.
- e. Firstly detected by deep palpation

Ans: b

خار جي

All of the following are true according abdomen, Except:

- a. Murphy's sign: Acute Cholecystitis.
- b. ascites: bulging of epigastrium
- c. Shifting Dullness indicates ascites.
- d. Rovsing's sign indicates acute appendicitis.

Answer: b

Which one is mismatched?

- a. mid-uretric stone periumblical pain.
- b. Appendicitis periumblical pain
- c. Cholycystitis RUQ pain
- d. pancreatitis back pain
- e. peritonitis generalized pain



answer: a