Sychology

## Archive Lecture 7

Corrected By : Kareem Obeidallah

Medical card

Date of

Designed By : Raneem Dmour





All of the following are antidepressant drugs, except?

a. SSRI
b. tricyclic anti depressant
c. MAOIs
d. antinoamine tritase rehibitor (ATRs)
e. all of the following are true

The most common target group for depression is:

Select one: a. middle-aged male b. middle-aged females C. young girls d. children e. young male

Dysthymic disorder differs from major depressive: disorder in the following ways: Select one:

a. symptoms only affect women during the winter months
b. symptoms include hallucinations anddelusional thinking
C. symptoms are less severe but last longer
d. symptoms are more severe and last longer
e. symptoms are more severe and last lesser

answer: (C)

Within mood disorders, two key symptoms of a major depressive episode are:

- a) very low mood and agoraphobia
- b) problems in concentration and compulsive behaviors
- c) lack of interest in usual activities and recurrent thoughts of death
- d) diminished need for sleep and loss of energy
- e) none of provided answers

answer: (C)

answer: (d)

answer: (b)

Lecture 7



Somatic symptoms of depression include all, except:	
a) feelings of guilt b) reduced interest c) insomnia d) weight change e) none of provided answers	
	answer: (e)
DSM-IV-TR criteria for a major depressive episode include which of the followi	ng:
<ul> <li>a) symptoms cause clinically significant distress or impairment in social function</li> <li>b) symptoms are not due to physiological effects of substance misuse</li> <li>c) symptoms are not accounted for by bereavement</li> <li>d) all of the provided answers</li> <li>e) symptoms are not better accounted for by bereavement</li> </ul>	ning
	answer: (d)
The inability of major depression patient to experience pleasure is a serious man of the illness because it is a distressing symptom that leads some patients to com suicide. This symptom is best known as:	
<ul> <li>a) phobia</li> <li>b) anhedonia</li> <li>c) blunt affect</li> <li>d) all of the provided answers</li> <li>e) apathy</li> </ul>	answer:(b)
Which of the following is a behavioral symptom exhibited by individuals suffer unipolar depression: Select one:	ing
<ul> <li>a) unpredictable and erratic behavior</li> <li>b) compulsive checking</li> <li>c) stay in bed for long periods</li> <li>d) ritualized behavior</li> <li>e) hallucination</li> </ul>	
	answer: (C)



Lecture 7

a patient has major deprressive disorder attempts twice to suicide. The doctor concludes that these euicidal aatemts are results from:

A.Halucinations B. Patientis pushed to suicide by others C. Feeling of worthlessness and helplessness

Which of the following is a chronic mood disturbance that can cause depressive symptoms, but does not disrupt normalfunction?

a. CyclothymicDisorder. b.DysthymicDisorder. c.Dissociative disorder d. Personality disorder.

answer: (B)

answer: (C)

A 67-year-old man presents to general medical clinic with a chief complaint of fatigue. He also reports poor concentration and a general

sense of hopelessness. He denies any other symptoms. He feels as if these symptoms will never go away as they have been present for the past three years. His vital signs are within normal limits and a physical exam is unremarkable. A laboratory workup reveals that he is euthyroid. What is the most likely diagnosis?

- a. Cyclothymia.
- b. Major Depressive Disorder.
- c. Double Depression
- d. Dysthymia .
- e. Bipolar Disorder.

answer:(d)