

7- tactile hallucinations are most common with?

- A. alcohol withdrawal
- B. Bipolar disorder
- C. Schizophrenia
- D. drug intoxication





1- Obsessions are:

- A. Impulse
- B. Words
- C. Images
- D. Thoughts
- E. All of the above







4- Poor prognosis in OCD? Yielding to compulsions

هون كان مغيّر بالسؤال بده good وهيك ..

الصيغه

**One of the following is considered a good prognostic factor for OCD :

ANS: Episodic nature of symptoms



1- Deficits in counting and calculations and solving math problems?
Dyscalculia

11- Wrong about methylphenidate?
Weight gain

1- In DSM-V criteria for enuresis, what is the duration needed for diagnosis?

2 times a week for 3 Months

2- Age for enuresis diagnosis?

- A) 5 years
- B) 3 years
- C) 4 years
- D) 7 years

Marah replied to themself

1- In DSM-V criteria for enuresis, what is the duration needed for diagnosis? 2 times a week for 3 Months

2- Age for enuresis diagnosis?

A) 5 years

8) 3 years

هلا هاد السؤال اجا بالصيغة هاي In DSM 5 Criteria of enuresis Choose the false statement: فبدك تكوني حافظه الكريتيريا كويس



**Inability to recognize & identify objects or a person is called:

Agnosia



واه تذكرت كمان اجا سؤال على Criteria of OCD نختار الاشي الصح اللي ضمن Criteria



One of the following is from Good prognostic factor for ppp:

High social support



*Hallmark of delirium tremens



*Good prognostic factor for MDD (Severe depression)



*Woman complains from painful intercourse during vaginal penetration (genito pelvic pain)





6- Pt came to the psychiatrist recently complains of worrying of everything, her kids, her husband, even his husband, her sleeping is ok?



Generalized anxiety disorder



13- Which is not a symptom of hypomania:

Grandiose delusions

Flight of ideas

Distractibility

Inflated self esteem

Decreased need for sleep





2- The criminal act should be preceded with which of the following to be considered as a crime?

- A- Mens era
- B- substitutaed
- C- justice



- 7- Projection of unconscious feelings regarding important figures in the patient's life onto the therapist
 - A) Transference
 - B) Countertransference



*What's the key difference between somatic symptom disorder & illness anxiety disorder

ناسیة الخیارات بس الجواب کان إنه ب illness anxiety بکونوا خایفیین یکون عندهم serious medical illness علی عکس SSD بتکون مشکلتهم بالاعراض



*therapeutic dose of lithium during the manic phase:

 $0.8 _{-}1$



26- Voices commenting on patient's actions? Third person hallucination



33- Case with the following symptoms (dietary reaction severe headache palpitation hypertensive crisis) what is this SE:

-tyramine reaction

هون كانت صيغة السؤال

MAOI has rere but life-threatening condition characterized by dietary reaction severe headache, palpation..)



8- Difference between binge eating and bulimia Nervosa:

Absence of compensatory behaviors in binge eating



2- How to differentiate between delirium and dementia?

- A) level of consciousness OR fluctuating consciousness
- B) age
- C) behavior

7- \ de