Respiratory System

Click to add text

Functions of the Respiratory System

- Inhale fresh air into lungs
- Exchange oxygen for carbon dioxide
- Exhale stale air

Organs of the Respiratory System

- Nasal cavity Pharynx Larynx
- Trachea Bronchial tubes Lungs
- Cells of body require constant gas exchange
 - Delivery of oxygen Removal of carbon dioxide
- Respiratory system works in conjunction with cardiovascular system to meet this need
- Must be continuous to meet cells' needs
- Subdivided into three distinct parts:
 - Ventilation Inhalation Exhalation

- Ventilation

- Flow of air between outside environment and lungs

- Inhalation

- Flow of air into lungs
- Brings fresh oxygen into air sacs

- Exhalation

- Flow of air out of lungs
- Removes carbon dioxide from body

External respiration

- Exchange of oxygen and carbon dioxide in lungs
- Gases diffuse in opposite directions
- Oxygen Leaves air sacs and enters blood stream
- Carbon dioxide Leaves blood stream and enters air sacs

Internal respiration

- Oxygen and carbon dioxide exchange at cellular level
- Oxygen Leaves bloodstream and is delivered to tissue and used immediately for metabolism
- Carbon dioxide Waste product of metabolism, leaves tissue and enters bloodstream

Nasal cavity

- It is divided by nasal septum and air enters through nares
- Palate in roof of mouth separates nasal cavity above from mouth below
- Cilia
 - Small hairs line opening to nasal cavity
 - Filter out large dirt particles before they can enter lungs
- Walls of nasal cavity and nasal septum
 - Made of flexible cartilage and covered with mucous membrane
- Much of respiratory tract is covered with mucous membrane
 - Mucus is thick and sticky secretion of membrane
 - Cleanses air by trapping dust and bacteria
- Capillaries in mucous membranes
 - Warm air

- Humidify air

Paranasal sinuses


- Located within facial bones Echo chamber for sound production
- Gives resonance to voice

Pharynx

- Commonly called throat
- Used by respiratory and digestive systems
- At end of pharynx
 - Air enters trachea
 - Food and liquids enter esophagus

Divisions of pharynx

- Nasopharynx
 - Upper section by nasal cavity
- Oropharynx
 - Middle section by oral cavity
- Laryngopharynx
 - Lower section by larynx



Tonsils

- Lymphatic tissue
- Removes pathogens in air and food
- Three pairs (adenoids, palatine and lingual)

Eustachian or Auditory Tube

- Opening found in nasopharynx
- Other end opens into middle ear
- Tube opens with each swallow
- Equalizes air pressure between middle ear and outside atmosphere

Larynx

- Commonly called voice box
- Muscular tube between pharynx and trachea
- Contains vocal cords

Walls of larynx

- Composed of cartilage plates
- Held in place by ligaments and muscles
- Thyroid cartilage forms the Adam's apple

Vocal cords

- Folds of membranous tissue
- Not actually cord-like in structure
- Vibrate to produce sound as air passes through opening between folds
- Called glottis





Epiglottis

- Flap of cartilage
- Sits above glottis
- Covers larynx and trachea during swallowing to allow food goes into esophagus and not into trachea

Trachea

- Commonly called windpipe
- Carries air from larynx to main bronchi
- Approximately four inches in length
- Tube composed of:
- Smooth muscle Cartilage rings
- Lined with mucous membrane and cilia
- Assists in cleansing, warming, and moisturizing air as it travels to lungs






Bronchial tree

- Distal end of trachea divides to form left and right main or primary bronchi
- Each bronchus enters a lung and branches to form secondary bronchi

Alveoli

- Bronchi continue to branch to form narrow bronchioles
- Bronchiole terminates in alveoli
- Approximately 150 million alveoli in each lung
- Pulmonary capillaries encase each alveolus
- Alveoli wall + capillary wall forms
 respiratory membrane for External respiration



Lungs

- Each is total collection of bronchi, bronchioles, and alveoli
- Two lungs
 - Right lung has 3 lobes
- Left lung has 2 lobes
- Spongy because they contain air
- Each one has apex, base and hilum
- Protected externally by the ribs
- Protected internally by double membrane (in mediastinum)

Trachea Apex of lung Thymus Left upper lobe Right upper lobe Right middle lobe Left lower lobe Right lower lobe Base of lung Diaphragm

Pleura

- Parietal pleura (Outer membrane that lines wall of chest cavity)
- Visceral pleura (Inner membrane that adheres to surface of lungs)
- Pleura is folded to form a sac around each lung called pleural cavity
- Serous fluid between two pleural layers reduces friction when two layers rub together during ventilation

Respiratory muscles

- Diaphragm

- Muscle separates abdomen from thoracic cavity
- Contracts and moves down into abdominal cavity
- Causes decrease of pressure, negative pressure, within chest cavity
- Air then enters lungs (inhalation) to equalize pressure

- Intercostal muscles

- Located between ribs
- Raise rib cage to further enlarge thoracic cavity
- Increases negative pressure
- Assists with forceful inhalation

Respiratory System Combining Forms

alveol/o	alveolus; air sac	bronch/o	bronchus	bronchi/o	bronchus
anthrac/o	coal	bronchiol/o	bronchiole	coni/o	dust
lob/o	lobe	nas/o	nose	epiglott/o	epiglottis
laryng/o	larynx	diaphragmat/o	diaphragm	orth/o	straight, upright
ox/o, ox/i	oxyen	pharyng/o	pharynx	pleur/o	pleura
pneum/o	lung	pneumon/o	lung	Trache/o	trachea
pulmon/o	lung	rhin/o	nose	sinus/o	sinus
Respirat	oryaSiyıştem su	ffixes			

–capnia	carbon dioxide	–ectasis	dilated	-osmia	smell
-phonia	voice	-pnea	breathing	-ptysis	spitting
-thorax	chest				

Word Building with bronch/o

bronchi/o and diaphragmat/o

-ectasis

-ic

vvoid Bair	With Stoller,		
–gram	bronchogram	record of bronchus	
–itis	bronchitis	inflammation of bronchus	
–plasty	bronchoplasty	surgical repair of bronchus	
-genic	bronchogenic	produced by bronchus	
-scope	bronchoscope	instrument to view bronchus	
_snasm	bronchospasm	involuntary muscle contraction of	

dilated bronchus

pertaining to diaphragm

spasiii bronchus

bronchiectasis

diaphragmatic

-ial bronchial pertaining to bronchus

Word Building with laryng/o

-ectomy	laryngectomy	surgical removal of larynx
–itis	laryngitis	inflammation of larynx
–plasty	laryngoplasty	surgical repair of larynx
-scope	laryngoscope	instrument to view larynx
–eal	laryngeal	pertaining to larynx
–plegia	laryngoplegia	paralysis of larynx

fluid

pleura pain

surgical removal of lobe

surgical removal of pleura

puncture of pleura to withdraw

Word Building with lob/o & pleur/o

pleurocentesis

pleurectomy

pleurodynia

lobectomy

-ectomy

-centesis

-ectomy

–dynia

Word Building with ox/o and ox/i

-meter	oximeter	instrument to measure oxygen
an– –ia	anoxia	condition of no oxygen
hypo– –emia	hypoxemia	blood condition of insufficient oxygen
hypo– –ia	hypoxia	condition of insufficient oxygen

Word Building with pharyng/o and pulmon/o

–itis	pharyngitis	inflammation of pharynx
–eal	pharyngeal	pertaining to pharynx
nas/o –itis	nasopharyngitis	inflammation of nose and pharynx
–logist	pulmonologist	lung specialist
–ary	pulmonary	pertaining to lungs

Word Building with rhin/o

-algia

-otomy

-ic

	<u> </u>	
–itis	rhinitis	inflammation of nose
myc/o –osis	rhinomycosis	abnormal condition of fungus in nose
–plasty	rhinoplasty	surgical repair of nose

chest pain

pertaining to the chest

incision into chest

prasty	Timiopiasey	sension repair of nose
–rrhagia	rhinorrhagia	rapid flow (of blood) from nose
_		4. 4

-rrhea

Word Building with sinus/o & thorac/o			
pan– –itis	pansinusitis	inflammation of all sinuses	

thoracalgia

thoracotomy

thoracic

Word Building with trache/o

endo– –al	endotracheal	pertaining to within trachea	
-otomy	tracheotomy	incision into trachea	
-stenosis	tracheostenosis	narrowing of trachea	
Word Building with –phonia & –capnia			

no carbon dioxide

excessive carbon dioxide

aphonia no voice a-

abnormal voice

dysphonia

dys-

hypercapnia

acapnia

hyper-

Word Building with -phonia and -capnia			
a–	aphonia	no voice	
dys-	dysphonia	abnormal voice	
a–	acapnia	no carbon dioxide	
hyper-	hypercapnia	excessive carbon dioxide	
Word Building with –osmia and -thorax			

no smell

blood in the chest

pus in the chest

air in the chest

anosmia

hemothorax

pneumothorax

pyothorax

an-

hem/o

pneum/o

py/o

Word Building with -pnea

a—	apnea	no breathing
brady–	bradypnea	slow breathing
dys-	dyspnea	difficult, labored breathing
eu-	eupnea	normal breathing
hyper–	hyperpnea	excessive (deep) breathing
hypo-	hypopnea	insufficient (shallow) breathing
ortho-	orthopnea	(sitting) straight breathing
tachy-	tachypnea	rapid breathing

Respiratory system vocabulary

Cheyne-Stokes

respiration

clubbing

cyanosis

epistaxis

hemoptysis

hyperventilation

hypoventilation

internal medicine

asphyxia	lack of oxygen; can lead to unconsciousness and death
aspiration	withdrawing fluid using suction; removing phlegm from patient's airway; inhaling food or liquid into trachea

followed by deep & rapid breathing

blue skin caused by low oxygen in blood

cough up blood or blood-stained sputum

breathing too fast and too deep

breathing too slow and too shallow

oxygen deficiency

a nosebleed

abnormal breathing pattern with long periods of apnea

abnormal widening and thickening of fingers due to chronic

branch of medicine involving diagnosis and treatment of

diseases of internal organs; physician is an internist

nasal cannula	two-pronged plastic device to deliver oxygen into nose
orthopnea	difficulty breathing made worse by lying flat; patient breaths better sitting up
otorhinolaryngology	branch of medicine involving diagnosis and treatment of diseases of the ear, nose, and throat
patent	open or unblocked
percussion	using fingers to tap on surface to determine condition beneath surface
phlegm	thick mucus secreted by respiratory tract
pleural rub	grating sound made when layers of pleura rub together during respiration
pulmonology	medicine branch involving diagnosis and treatment of respiratory system diseases; physician is a pulmonologist
rales	abnormal crackling sound during inspiration; indicates fluid or mucus in airway
rhonchi	musical sound during expiration; caused by bronchial tube spasms

sputum	phlegm coughed up from respiratory tract
stridor	harsh, high-pitched breath sound; indicates obstruction in the airway
thoracic surgery	medicine branch involving diagnosis and treatment of respiratory system diseases using surgical means

Respiratory system pathology

croup	by barking type of cough
diphtheria	bacterial infection characterized by formation of thick membranous film across throat; high mortality rate

acute respiratory condition in children: characterized

bacterial infection of upper respiratory system; pertussis

characterized by whooping cough difficulty breathing caused by bronchospasms,

asthma dyspnea, coughing, and wheezing

enlarged bronchi due to destruction of bronchial bronchiectasis wall; result of infections

bronchogenic carcinoma cancerous tumor originating in bronchi adult respiratory distress

acute respiratory failure; characterized by tachypnea, syndrome (ARDS) dyspnea, cyanosis, and hypoxemia

anthracosis	type of pneumoconiosis; coal dust collecting in lungs; also called black lung or miner's lung	
asbestosis	type of pneumoconiosis; asbestos fibers collecting in lungs	
Lafelectasis L	condition in which alveoli in a portion of lung collapses; prevents gas exchange in lung	
pulmonary disease	progressive, chronic, and usually irreversible group of conditions; like emphysema; lungs have decreased capacity to function	
LCVST1C_T1DrOS1S_(C_F)	genetic condition; produces very thick mucus that causes severe congestion in lungs	
emphysema	chronic lung condition characterized by destruction of alveolar walls	
infant respiratory distress syndrome (IRDS)	most common in premature infants; characterized by tachypnea (called hyaline membrane disease)	
influenza	viral infection of respiratory system	

pneumonia	inflammatory condition of lungs; results in alveoli filling with fluid		
pulmonary edema	excessive amount of tissue fluid accumulating in the lung tissues		
pulmonary embolism	floating blood clot obstructs pulmonary artery; causes infarct of lung tissue		
Mycoplasma pneumonia	less severe but longer lasting form of bacterial pneumonia; also called walking pneumonia		
pneumoconiosis	accumulation of foreign particles, such as coal dust, in the lungs		
pulmonary fibrosis	formation of fibrous scar tissue in lung; reduced ability to expand lungs		
severe acute respirator syndrome (SARS)	y acute viral respiratory infection; begins like flu but quickly progresses; very high mortality rate		
silicosis	type of pneumoconiosis; accumulation of silica dust in lungs		

sleep apnea		breathing stops repeatedly during sleep; causes drop in oxygen levels			
	sudden infant death unexpected and une syndrome (SIDS) infant; stops breathi				tly well
tuberculosis (TB)		bacterial lung infection; results in inflammation and calcification of lungs			
empyema	pleu	pleural cavity; prevents Outside			
pleural effusion	pleu			Torn pleura Outside air entering pleural cavity	
pleurisy	inflammation of pleura; characterized by sharp pain with each breath		Left lung	Left lung	
pneumothorax	cavit	ction of air in pleural y; may result in psed lung		Inspiration	Diaphragm

Clinical Laboratory Tests

sweat test

(TB test)

bronchography

chest X-ray

pulmonary

angiography

tuberculin skin tests

Diagnostic imaging

arterial blood gases (ABGs)	blood test of oxygen and carbon dioxide levels in the blood
sputum culture & sensitivity (C&S)	cultures sputum for bacterial growth, if present, then determines best antibiotic to use
sputum cytology	examining sputum for malignant cells

amount of salt in sweat

test for cystic fibrosis; this disease causes large

X-ray of lung after inhaling radiopaque substance

X-ray of lungs after injecting dye into blood vessel

X-ray of the organs of the thoracic cavity

introducing purified protein derivative (PPD) under

the skin; determines if person has been exposed to TB

Pulmonary function Test

1 difficility	Tunetion Test
oximetry	measures oxy

gen level in blood; uses oximeter on patient's finger tip

group of tests to measure air flow in and out of lungs,

lung volumes, and gas exchange

measures lung capacity using a spirometer

visual examination of bronchial tubes using a bronchoscope

Endoscopic procedure

pulmonary function

test (PFT)

spirometry

(Bronch)

laryngoscopy

bronchoscopy

visual examination of larynx using a laryngoscope

Respiratory therapy

aerosol therapy	medication suspended in a mist and inhaled; delivered by a nebulizer or metered dose inhaler
endotracheal intubation	placing a tube through the mouth and into the trachea to keep airway open
postural drainage	drainage of bronchial secretions by placing patient in positions using gravity to promote drainage; cystic fibrosis treatment
supplement oxygen therapy	providing additional oxygen concentration to improve oxygen levels in bloodstream
ventilator	machine that provides artificial ventilation for a patient unable to breathe alone

Surgical procedure

cardiopulmonary

resuscitation (CPR)

thoracentesis	thoracocentesis
thoracostomy	insertion of tube (a chest tube) into chest to drain off fluid or air

respiration and heart stop

surgical puncture of chest wall to remove fluids; also called

emergency treatment given to persons when

tracheostomy emergency procedure to create an opening directly into trachea so person can breathe easier; also called tracheotomy

Cardiopulmonary procedure

Respiratory System Pharmacology

antibiotic	kills bacteria
antihistamine	blocks histamine released during allergy attack
antitussive	relieves urge to cough
bronchodilator	relaxes bronchospasms; treats asthma
corticosteroids	reduces inflammation of respiratory tract
decongestant	reduces congestion in respiratory system
expectorant	improves ability to cough up mucus
mucolytic	liquefies mucus so it is easier to cough up