

Dermatology Archive

- Final 2023

By : Eslam wasfi tarawneh
Laith Najada

1-We can use all of the following in treatment of wart, EXCEPT: **Surgery**

2-The characteristic lesion for impetigo:

Crust

Vesicles

3-All of the following needs biopsy except:

Classical lichen planus

Inverse LP

LP pigmentosus

Bullous LP

Lichen planopilaris

4-Not histopathological feature of psoriasis:

Hypergranulosis

5-Not present in rosacea: **Comedons**

6-Most common site for pityriasis rosea:

Trunk and proximal extremities

7-One of the following is mostly associated with internal malignancy:

Necrolytic migratory erythema

8-All of the following are signs of early congenital syphilis EXCEPT:

Hutchinson teeth

9-Most common sexual transmitted disease:

Non gonococcal urethritis

10-All of the following area infected by gonorrhoea EXCEPT: Vulvovagina

Atopic dermatitis is diagnosed:

Clinical + biopsy

Clinical + prick test

Clinical + patch test

Clinically alone ✓

11-Child came with severe itching, positive family history of asthma and hay fever, what is the best initial treatment:

Triamcinolone 0.1%

Hydrocortisone 1% (best drug to start with)

Clobetasone 0.05%

12-Mirror image distribution of lesions on the extremities is characteristic of:

Discoid eczema

Discoid lupus

Tinea corporis

13-Dirty neck: X-linked recessive

14-Lamellar disease is: Autosomal recessive

15-46 year old women came with late onset acne and testosterone level above 200 ng, what is the most likely diagnosis:

Adrenal tumor

PCOS

Ovarian tumor

16-Non of minimal inflammatory lesion:

Tinea versicolor

17-Magicchi granuloma caused by:

Dermatophytes

18-Wood lamp used in all of the following EXCEPT:

Tinea manum

19-Infant has redness inflammation at the napkin area, what is the best treatment used for him:

Miconazole 2% cream

20-Caused by the meat: Orf

21-Unilateral Single line of Painful rash appear on the thoracic area for 1 day duration, what is the best treatment:

Valacyclovir 500 mg 3 times/day for 5 days

22-One of the following treated by erythromycin:

Pitted keratolysis

(The other choices were viral infection)

23-Wrong about leishmaniasis:

The primary lesion is painful ulcer

24-Infant with hypopigmented lesion, negative family history, the most likely diagnosis is:

Vitiligo

Tuberous sclerosis

Halo nevi

Achromic nevi

Freckles

25-Systemic disease that caused by elevated level of ACTH tha stimulate melanocytes to produce more melanin is:

Addison's disease

26-Characteristic lesion of dermatitis's herpetiform: **Excotiation itchy vesicles**

27-All of the following indicates poor prognosis of alopecia areata, EXCEPT:

Sparing the occipital area

28-An abnormal winged like growth of the skin in the nail plate: **Pterigium**

29-Erythema multiformi most commonly caused by:

HSV-1

Mycoplasma

30-Lateral third alopecia of the eyebrows associated with: **Hypothyroidism**

31-Wrong about scabies:

Topical ivermectin

32-All of the following considered a skin test except?

PPD

Patch test

Patrick test

Wood light

Intradermal test

33-Severe Generalised pruritus?

hodgkin lymphoma

34-Most common variant of Psoriatic arthritis?

Asymmetrical oligiarticular arthritis

35- Perforating folliculitis commonly associated with?

Renal disease

36-Pathergy reaction?

Bechet's disease

37-Smallest wheal in urticaria?

Cholinergic urticaria