



MSS-pharmacology

Archive

Lecture (6)

DAMARDS

Done by :

Banan al-khawaldeh

pharmacology lecture (6)

1. All of the following is treatment for RA except :

1. Methotrexate.
2. Cyclosporine.
3. Paracetamol.
4. Colchicine.
5. Hydroxychloroquine.

Answer: D

هذا السؤال يفضل نحفظ الامثلة اللي فيه كمثال على العلاج لانه ما وردوا بالمحاضرة بس تكررنا بالارشيف

2.* One of the following drug of rheumatoid arthritis has not associated with T.B:

- A- Rituximab.
- B- Abatacept.
- C- Infliximab.
- D- Anakinra.
- E- Sarilumab.

Answer: A

3. TNF- α receptor blocker drug :

- A) Etanercept
- B) Anakinra
- C) Methotrexate
- D) Leflunomide
- E) Sulfasalazine

ANSWER: A

pharmacology lecture (6)

4. The drug that inhibits dihydrofolate reductase is :

- A) Entycept
- B) Sulfasalazine
- C) leflunomide
- D) Methotrexate
- E) Hydroxychloroquine

Answer: D

5. A patient with rheumatoid arthritis will suffer from all the following except:

- A) Tenderness.
- B) swelling
- C) muscle weakness

Answer: C

6. A patient 51 years old with RA is experiencing joint erosion. Which drug should be prescribed?

- A) methotrexate
- B) hydroxychloroquine
- C) sulfasalazine
- D) etanercept
- E) infliximab

Answer: A

pharmacology lecture (6)

7. Woman with Rheumatoid arthritis in wrist and bone erosion
What the treatment you give

- A- methotrexate
- B- hydroxychloroquine
- C- infliximab

Answer:A

8. *medicine that relieves the pain of osteoporosis and at the same time the patient has heart disease?

What medicine should not be taken?

celecoxib

9. All following about methotrexate MTX are true EXCEPT ?
Select one :

- A. Can be given to pregnant women
- B. used alone or in combination therapy
- C. inhibits purine synthesis
- D. Response to MTX occurs sooner than with other agents
- E. Doses in rheumatoid arthritis is low

Answer:A