

## • WOUND :

1)A wound caused by an instrument with a blunt edge and pointed end is called:

- A. Punctured wound
- B. Penetrating wound
- C. Transfixing wound
- D. Perforation wound

Answer: a

2)One of the following is correct:

simple wound does not cause permanent disability and takes less than 21 day to heal

3>false about fabricated wounds:

hesitation marks

4)Cut wound can stimulate contused wound in:

Axilla

5)Wrong about ligature strangulation:

incomplete ligature

6)postmortem wound:

clot usually absent if present soft

7)Hesitation wound is usually seen in:

- A. Suicidal cases
- B. Homicidal cases

Answer: A

8)Fabricated wounds are characterized by the following except:

- A. Multiple and superficial
- B. Sparing the clothes
- C. At safe area within the reach of the hands
- D. Eye injury is rare to occur
- E. May be of different depths

Answer: e

**9) All the following characteristics are true for the inlet (entry) wound except:**

- A. More loss of tissues with bruising
- B. Presence of powder marks
- C. Blood from wound tissues is positive for CO
- D. Tattoo
- E. Beveling is external

Answer: e

**10) A wound in the eyelid that healed within 20 days is considered:**

- A. Dangerous wound
- B. Simple wound

Answer: a

**11) Which type of injury is most likely to cause internal hemorrhage?**

- A. Incised wound
- B. Lacerated wound
- C. Contusion
- D. Stab wound

Answer: D

**12) After a quarrel between two young males, one of them sustained an injury that led to amputation of the distal phalanges of the little finger of the left hand. The wound healed in 18 days. This wound is:**

- A. Fatal wound
- B. Simple wound
- C. Dangerous wound
- D. Stab wound
- E. Lacerated wound

Answer: c

**13) The following are types of sharp force injuries except:**

- A. Stab wound
- B. Cut wound
- C. Puncture wound
- D. Hesitation marks
- E. Fabricated wounds

Answer: e

**14)The following are true regarding bruises except:**

- A. Always appear at the site of trauma
- B. May take the shape of the causal instrument
- C. Type of the covering skin affects its size
- D. Type of underlying tissue affects its size
- E. Undergoes color changes

Answer: a

**15)Cut wound may simulate lacerated wound:**

- A. If occurs in scrotal area or caused by sharp weapon with irregular edge as broken glass
- B. If has marginal bruises
- C. If has crushed hair at the wound edges
- D. If has severe bleeding
- E. Cut wound never simulates lacerated wound

Answer: a

**16)After a quarrel between two friends, one sustained an injury that led to amputation of the distal phalanges of the little finger of the left hand. The wound healed in 18 days. This wound is:**

- A. Fatal wound
- B. Simple wound
- C. Dangerous wound
- D. Stab wound
- E. Lacerated wound

Answer:c

**17)Characters of contused wounds don't include:**

- A. Multiple angles
- B. Brushed hair
- C. Irregular angles
- D. Low liability to sepsis
- E. Abraded edges

Answer: d

**18) All of the below are characteristics of a lacerated wound EXCEPT:**

- A. Abrasions and bruises at edges
- B. More liable to sepsis
- C. Profuse bleeding
- D. Crushed hair at the edges
- E. Caused by blunt instrument

Answer: ~~d~~

**19) Which of the following is wrong about contused wounds?**

- A. Multiple angles
- B. Brushed hair
- C. Irregular angles
- D. Low liability for sepsis
- E. Abraded edges

Answer: d

**20) The most common sign in strangulation is:**

- A. Petechiae in eyes
- B. Bleeding from mouth and nose
- C. Neck bruises
- D. Cyanosis
- E. Tongue bite

Answer: b

**21) Wrong about bruises; intravascular**

**22) Tram track (//) appearance injury is induced by:**

- A. Coin
- B. Tram car rod
- C. Stick
- D. Wire
- E. Knife

Answer: b

**23) Fimbriate symmetrical**

**24) What's true about this bruise in a dead patient?**

- A. The colour of bruise determines the accurate time of death
- B. Bruise indicates undergoing physical pressure and we have to transfer him to the forensic medicine

Answer: b

**22) A wound caused by a blow with a moderately sharp edge of a heavy object is most likely:**

1. **Chop wound**
2. **Cut lacerated wound**
3. **Contused wound**
4. **Deep lacerated wound**
5. **Deep cut wound**

**Select the correct answer:**

- a) 1 and 2
- b) 1 only
- c) 1, 2 and 3
- d) 3 only

**answer:a**

**18) The simplest form of wound is:**

- a) Laceration
- b) Contusion
- c) Abrasion
- d) Incised wound
- e) Puncture wound

**answer:c**

**3) An abrasion can be differentiated from all of the following EXCEPT:**

- a) Dry burns and scalds
- b) Chop wound and cut
- c) Contused wound and cut
- d) Hypostasis and bruises
- e) Inlet and outlet wounds

**answer:a**

**32) Which of the following statements is TRUE regarding a "dangerous injury"?**

- a) It refers to any superficial injury
- b) It is a medical term only
- c) It is a legal classification of injuries
- d) It always results in permanent disability
- e) It refers to minor cuts and bruises

**answer:c**