

Family Medicine Quiz

1-one of the following is not in CDC diagnostic criteria for chronic fatigue syndrome:

- A-headache of new pattern
- B-joint pain and swelling
- C-muscle pain
- D-unrefreshing sleep

2-best treatment for pertussis :

- A-chephalaxin
- B-amoxicillin
- C-Azithromycin

3-we can't use b blockers in one of the following :

- A-HF
- B-heart block

4-one of the following drugs we should avoid in osteoporosis :

- A-SGL2I
- B-TZDs

5-one of the following isn't a common cause for secondary HTN :

- A-Renal impairment
- B-drugs
- C-aortic coartictation

6-all of the following are an initial test for chronic fatigue except :

- A-ESR
- B-LFT
- C-TSH

Family Medicine Quiz

7-one of the following patients can have a stringent Target for their Hba1c :

- A- short duration of diabetes
- B- high cardiovascular risk
- C- at risk for hypoglycaemia
- D- limited life expectancy

8- which one of the following cases we do an ascvd calculation for :

- A- A 50 year old diabetic patient
- B- A 50 year old with a recent MI
- C- A 50 year old who has an abnormal lipids profile
- D- A 35 year old who's LDL level is 195mg/dl

9- one of the following is not part of the ascvd risk calculator :

- A- LDL
- B- serum creatinine
- C- treatment for HTN

10- one of the Principles of Family medicine wich includes being aware of available services, making appropriate consultations or referrals, collecting and interpreting results .

- A- coordination
- B- collaboration
- C- comprehension