

Dermatology mini osce exam (Rouh)
11th Feb 26

Done by
Sarah Manasrah

- 1. Annular lichen planus typically presents with itchy (false)**
- 2. Vitiligo is autoimmune disease (true)**
- 3. Herpes Zoster is caused by a bacterial infection . (false)**
- 4. Vitiligo is an autoimmune disease in which the immune system destroys melanocytes. (true)**
- 5. Koilonychia is a classic clinical sign associated with Iron Deficiency Anemia . (true)**
- 6. A Wood's lamp is used to diagnose tinea corporis.(false)**
- 7. Pemphigus vulgaris is an autoimmune disease. (true)**
- 8. The incubation period of Neisseria gonorrhoeae is 2–3 weeks. (false)**
- 9. Alopecia Areata is non scarring hair loss patches. (true)**
- 10. Late Latent syphilis is non-infectious.(true)**
- 11. Atopic dermatitis is diagnosed clinically, no need for laboratory investigations.(true)**
- 12. Classic urticaria lesions resolve within 24 hours. (true)**
- 13. Melasma is dark patch at face. (true)**
- 14. Guttate psoriasis occurs most commonly in elderly. (false)**
- 15. X-linked ichthyosis presents with bamboo-shaped hair. (false)**
- 16. Warts are caused by human papillomavirus .(true)**
- 17. Seborrheic dermatitis occurs in adults and infants . (true)**
- 18. Ichthyosis vulgaris may improve with age.(true)**
- 19. Telangiectasia is a characteristic feature of Rosacea.(true)**
- 20. Scabies transmitted by close skin contact .(true)**

1. **Kerion is caused by :** tinea capitis (fungal infection)
2. **Pitted keratolysis affects:** soles of the feet
3. **Presenting symptom of LP is:** Pruritus
4. **The inheritance pattern of lamellar ichthyosis:** Autosomal recessive
5. **A patient presents with grouped, intensely itchy papulovesicular lesions on the extensor surfaces and has a history of celiac disease:** Dermatitis herpetiformis
6. **Auspitze sign used to diagnose:** psoriasis
7. **The target lesion is characteristic for :** Erythema Multiforme
8. **Lichenification is characteristic feature for:** chronic eczema
9. **Discoid eczema (common site):** extremities
10. **A mole (nevus) surrounded by a depigmented rim is :** Sutton's halo navi
11. **Diffuse hair loss in which hair follicles prematurely enter the telogen phase is called :** Telogen Effluvium
12. **The causative insect of scabies:** Sarcoptes scabiei var hominis
13. **The parasite that infests hair and is transmitted sexually is :** phthirus pubis
14. **Spoon-shaped nails:** koilonychia
15. **Type of urticaria worsened by stress, spicy food or emotional factors:** Cholinergic urticaria
16. **Fluminans acne is more common in :** Males
17. **First lesion appears in pityriasis rosea :** Herald patch
18. **Pathogen that cause acne:** Cutibacterium acnes (formerly Propionibacterium acnes)
19. **Patch test is used for :** Contact Allergic Dermatitis
20. **On Gram stain, a gram-negative, slender rod arranged in a "school of fish" pattern is characteristic of :** chancroid (Haemophilus ducreyi)

