

What happened if the intestinal loop rotated only  $90^\circ$  in an anticlockwise?

Select one:

- a. Appendix will lie in the right side.
- b. Subhepatic appendix.
- c. Transverse colon will pass behind the duodenum.
- d. Appendix will lie in the left side.
- e. Congenital volvulus.

(D)

What is the mean of tongue tie?

Select one:

a. Failure of development of the tongue.

b. Small sized tongue.

c. Failure of fusion of the 2 lingual swellings.

d. The tongue is adherent to the floor of the mouth....

**8. What are the mean of macroglossia?**

- a. Failure of development of the tongue
- b. Smail sized tongue
- c. Failure of fusion of the 2 lingual swellings
- d. tongue is adherent to the floor of the mouth
- e. Large sized tongue..

The mucus membrane of the posterior one third of the tongue is derived from?

Select one

a. Tuberculum impar.

47) The mucus membrane of the anterior two third of the tongue derived from?

Select one:

- A) The anterior part of copula of His
- B) Tuberculum impar
- C) The posterior part of copula of His
- D) The middle part of copula of His
- E) Two lateral lingual swellings

**21. How many degrees of rotation of stomach?**

- a. 90 anticlockwise
- b. 270 clockwise
- c. 90 clockwise..
- d. 180 clockwise
- e. 180 anticlockwise

3. -in the first few days after birth, failure of migration of neural crest cells from neural folds to form parasympathetic ganglia (no nerve) :

**Hirschsprung's disease**

**16. Which of the following statements are incorrect according the intestinal herniation?**

- a. The cranial limb of the intestinal loop brings to the right side
- b. The intestinal loop rotates for 90 in an anti-clockwise
- c. The hernia passes through gap in the posterior abdominal wall...
- d. The rotation of the intestinal loop around the superior mesenteric artery
- e. The caudal limb of the intestinal loop brings to the left side



What happened if the intestinal loop rotated only  $90^\circ$  in an anticlockwise?

Select one:

- a. Appendix will lie in the right side.
- b. Subhepatic appendix.
- c. Transverse colon will pass behind the duodenum.
- d. Appendix will lie in the left side.
- e. Congenital volvulus.

(D)

**8. What are the mean of macroglossia?**

- a. Failure of development of the tongue
- b. Small sized tongue
- c. Failure of fusion of the 2 lingual swellings
- d. tongue is adherent to the floor of the mouth
- e. Large sized tongue ..

**1. Ankyloglossia is**

**the tongue is adherent to the floor of the mouth.**

46) What are the mean of microglossa?

Select one:

- A) Large sized tongue
- B) Small sized tongue
- C) Failure of development of the tongue
- D) The tongue is adherent to the floor of the mouth
- E) Failure of fusion of the 2 lingual swellings

45) The rotation of the stomach is around?

Select one:

- A) Oblique axis
- B) Coronal axis
- C) Vertical axis
- D) Longitudinal axis
- E) Antero-posterior axis

**2. Anamoly due to the persistence of the whole vitelline duct??**

- A. Vitelline sinus**
- B. Vitelline cyst**
- C. Meckel's diverticulum**
- D. Ileal diverticulum**

**8. What are the mean of macroglossia?**

- a. Failure of development of the tongue
- b. Small sized tongue
- c. Failure of fusion of the 2 lingual swellings
- d. tongue is adherent to the floor of the mouth
- e. Large sized tongue

**35. All the following structures having mesentery except?**

- a. The transverse colon
- b. The cecum
- c. The small intestine
- d. The appendix
- e. The sigmoid colon

**15. A mother has noted marked abdominal enlargement of her three-days-old son without any passing of the stool. On physical examination his abdomen is distended. What pathologic finding is most likely to be present in this infant? Select one**

- a. Aganglionic colonic segment
- b. Congenital bowel malrotation
- c. Cecal volvulus
- d. intussusception
- e. Necrotizing ischemic colitis

**20. Bad odor from umbilicus due to? Select one:**

- a. Vitelline cyst
- b. Vitelline duct
- c. Vitelline sinus
- d. Vitelline tissued
- e. Vitelline fistula

**47. The mucus membrane of the anterior two third of the tongue derived from?**

- A . tuberculum impar
- B . the anterior part of copula of his
- C . two lateral lingual swellings
- D . the middle part of copula of his
- E . the posterior part of copula of his