WELCOME THIRD YEAR CLASS



- 1. **What is the primary function of the conducting portion of the respiratory system?**
 - A) Gas exchange
 - B) Conduct, filter, warm, and moisten air
 - C) Produce surfactant
 - D) Contain chemoreceptors for smell
 - **Answer:** B) Conduct, filter, warm, and moisten air
- 2. **Which type of epithelium is found at the nostrils and the true vocal cords?**
 - A) Respiratory epithelium
 - B) Olfactory epithelium
 - C) Non-keratinized stratified squamous epithelium
 - D) Alveolar epithelium
 - **Answer:** C) Non-keratinized stratified squamous epithelium
- 3. **Where is respiratory epithelium primarily located?**
 - A) Alveoli
 - B) Superior conchae
 - C) Most of the conducting portion of the respiratory tract
 - D) Lingual surface of the epiglottis
 - **Answer:** C) Most of the conducting portion of the respiratory tract
- 4. **What is the role of alveolar epithelium?**
 - A) Conduct air
 - B) Filter and warm air
 - C) Gas exchange
 - D) Secretion of mucus
 - **Answer:** C) Gas exchange
- 5. **Which epithelium contains chemoreceptors for smell sensation?**
 - A) Respiratory epithelium
 - B) Non-keratinized stratified squamous epithelium
 - C) Alveolar epithelium
 - D) Olfactory epithelium
 - **Answer:** D) Olfactory epithelium
- 6. **What is a function of surfactant secreted in the respiratory portion?**
 - A) To filter incoming air
 - B) To facilitate gas exchange
 - C) To reduce surface tension in alveoli
 - D) To warm the air
 - **Answer:** C) To reduce surface tension in alveoli
- 1. **Which of the following is NOT a part of the conducting portion of the respiratory system?**
 - A) Nasal cavities
 - B) Alveoli
 - C) Trachea
 - D) Bronchioles
 - **Answer:** B) Alveoli
- 2. **What is the primary function of cartilage in the conducting portion of the respiratory system?**

- A) To facilitate gas exchange
- B) To prevent collapse and maintain an open lumen
- C) To provide sensory functions
- D) To produce surfactant
- **Answer:** B) To prevent collapse and maintain an open lumen
- 3. **Which structure follows the trachea in the conducting portion of the respiratory system?
 - A) Nasopharynx
 - B) Larynx
 - C) Primary bronchi
 - D) Terminal bronchioles
 - **Answer:** C) Primary bronchi
- 4. **What role do elastic fibers and smooth muscle fibers play in the conducting portion?**
 - A) They filter air
 - B) They provide rigidity
 - C) They allow for flexibility and accommodation of expansion and contraction
 - D) They secrete mucus
 - **Answer:** C) They allow for flexibility and accommodation of expansion and contraction
- 5. **What type of epithelium is primarily found in the conducting portion of the respiratory system?
 - A) Stratified squamous epithelium
 - B) Simple cuboidal epithelium
 - C) Respiratory epithelium
 - D) Columnar epithelium
 - **Answer:** C) Respiratory epithelium
- 6. **Which of the following structures is the last part of the conducting portion before reaching the respiratory portion?**
 - A) Bronchi
 - B) Terminal bronchioles
 - C) Larynx
 - D) Nasopharynx
 - **Answer:** B) Terminal bronchioles
- 7. **What is one of the primary functions of the respiratory epithelium in the conducting portion?**
 - A) Gas exchange
 - B) Secretion of surfactant
 - C) Filtering, moisturizing, and warming inspired air
 - D) Sensing smell
 - **Answer:** C) Filtering, moisturizing, and warming inspired air
- 1. **Which of the following is NOT a part of the respiratory portion of the respiratory system?
 - A) Alveolar ducts
 - B) Respiratory bronchioles
 - C) Terminal bronchioles
 - D) Alveoli
 - **Answer:** C) Terminal bronchioles

- 2. **What is the primary function of the respiratory portion?**
 - A) Filtering and warming air
 - B) Gas exchange between blood and inspired air
 - C) Conducting air to the lungs
 - D) Producing mucus
 - **Answer:** B) Gas exchange between blood and inspired air
- 3 **What substance is produced in the respiratory portion to reduce surface tension in the alveoli?**
 - A) Mucus
 - B) Surfactant
 - C) Plasma
 - D) Carbon dioxide
 - **Answer:** B) Surfactant
- 5. **What is the primary gas exchanged in the alveoli?**
 - A) Nitrogen
 - B) Oxygen and carbon dioxide
 - C) Hydrogen
 - D) Argon
 - **Answer:** B) Oxygen and carbon dioxide
- 1. **What separates the two nasal cavities?**
 - A) Nasal fossa
 - B) Nasal conchae
 - C) Nasal septum
 - D) Vestibule
 - **Answer:** C) Nasal septum
- 2. **Which part of the nasal cavity is lined with thin skin and transitions to non-keratinized stratified squamous epithelium?**
 - A) Nasal fossa
 - B) Vestibule
 - C) Olfactory epithelium
 - D) Respiratory epithelium
 - **Answer:** B) Vestibule
- 3. **What is the primary function of the hair in the vestibule of the nasal cavity?**
 - A) To warm the air
 - B) To filter out large dust particles
 - C) To enhance smell
 - D) To produce mucus
 - **Answer:** B) To filter out large dust particles
- 4. **Which type of epithelium covers the superior conchae?**
 - A) Respiratory epithelium
 - B) Non-keratinized stratified squamous epithelium
 - C) Olfactory epithelium
 - D) Transitional epithelium
 - **Answer:** C) Olfactory epithelium

- 5. **Which of the following statements is true regarding the conchae?**
 - A) They are located only in the vestibule. Lateral wall of nasal fossal
 - B) They decrease the surface area of the respiratory epithelium.
 - C) They slow the flow of air and increase the surface area for conditioning inspired air.
 - D) They are covered entirely with olfactory epithelium.
- **Answer:** C) They slow the flow of air and increase the surface area for conditioning inspired air.
- 6. **What is found beneath the respiratory epithelium in the nasal fossae?**
 - A) Ciliated cells
 - B) Lamina propria rich with superficial venous plexus (swell bodies)
 - C) Mucous glands
 - D) Cartilage
 - **Answer:** B) Lamina propria rich with superficial venous plexus (swell bodies)
- 7. **What is the primary role of the nasal fossae?**
 - A) To facilitate gas exchange
 - B) To condition the inspired air
 - C) To filter large particles
 - D) To provide structural support
 - **Answer:** B) To condition the inspired air
- 1. **What are swell bodies?**
 - A) Glands in the nasal mucosa
 - B) Loops of venous plexus in the lamina propria of the respiratory epithelium
 - C) Structures in the olfactory part of the nasal cavity
 - D) Cartilaginous supports of the nasal septum
 - **Answer:** B) Loops of venous plexus in the lamina propria of the respiratory epithelium
- 2. **What is one of the primary functions of swell bodies?**
 - A) To filter dust particles
 - B) To produce mucus
 - C) To condition and warm inhaled air
 - D) To facilitate gas exchange
 - **Answer:** C) To condition and warm inhaled air
- 3. **Why do nosebleeds (epistaxis) occur frequently in the nasal cavity?**
 - A) Due to the presence of mucous glands
 - B) Because of the thin walls of the swell bodies and their proximity to the surface
 - C) Due to overproduction of mucus
 - D) Because of inflammation in the olfactory epithelium
- **Answer:** B) Because of the thin walls of the swell bodies and their proximity to the surface
- 4. **What is the nasal cycle?**
 - A) A process of gas exchange in the alveoli
 - B) Rhythmic cycles of physiological congestion and decongestion in the nasal mucosa
 - C) The production of mucus in the nasal cavities
 - D) The movement of cilia in the respiratory epithelium
- **Answer:** B) Rhythmic cycles of physiological congestion and decongestion in the nasal mucosa

- 5. **How often does the nasal cycle occur?**
 - A) Every 5-10 minutes
 - B) Every 10-15 minutes
 - C) Every 20-30 minutes
 - D) Every hour
 - **Answer:** C) Every 20-30 minutes
- 6. **What happens during nasal congestion in the nasal cycle?**
 - A) Increased airflow through the nostrils
 - B) Engorgement of swell bodies in one nasal cavity
 - C) Decreased blood flow to the nasal mucosa
 - D) Increased secretion of mucus
 - **Answer:** B) Engorgement of swell bodies in one nasal cavity
- 7. **What controls the nasal cycle?**
 - A) Hormonal regulation
 - B) Autonomic nervous system
 - C) Respiratory rate
 - D) Environmental factors
 - **Answer:** B) Autonomic nervous system
- 1. **What is another name for the phenomenon commonly referred to as "brain freeze"?**
 - A) Cold-induced headache
 - B) Sphenopalatine ganglio-neuralgia
 - C) Sinus headache
 - D) Migrainous headache
 - **Answer:** B) Sphenopalatine ganglio-neuralgia
- 2. **Where do people commonly feel pain when experiencing brain freeze?**
 - A) In the stomach
 - B) In the jaw
 - C) In the head or behind the eyes
 - D) In the neck
 - **Answer:** C) In the head or behind the eyes
- 3. **What typically triggers the sensation of brain freeze?**
 - A) Eating hot food
 - B) Inhaling cold air
 - C) Consuming cold substances like ice cream
 - D) Drinking carbonated beverages
 - **Answer:** C) Consuming cold substances like ice cream
- 4. **What physiological response occurs when a cold substance touches the palate?**
 - A) Vasodilation of blood vessels
 - B) Increased heart rate
 - C) Vasoconstriction of blood vessels
 - D) Decreased respiratory rate
 - **Answer:** C) Vasoconstriction of blood vessels
- 5. **What happens after the initial vasoconstriction in response to the cold?**
 - A) The blood vessels remain constricted
 - B) The blood vessels re-open to restore normal temperature

- C) Blood flow decreases significantly
- D) The surrounding tissues become numb
- **Answer:** B) The blood vessels re-open to restore normal temperature
- 6. **Why might someone experience a headache after consuming cold food quickly?**
 - A) Due to dehydration
 - B) Because of rapid temperature changes in the palate
 - C) Because of increased blood sugar levels
 - D) Due to food allergies
 - **Answer:** B) Because of rapid temperature changes in the palate
- 1. **What type of epithelium is found in the respiratory epithelium?**
 - A) Stratified squamous epithelium
 - B) Simple cuboidal epithelium
 - C) Pseudostratified columnar ciliated epithelium
 - D) Transitional epithelium
 - **Answer:** C) Pseudostratified columnar ciliated epithelium
- 2. **Which type of cells are present in the respiratory epithelium?**
 - A) Keratinocytes
 - B) Goblet cells
 - C) Basal cells
 - D) Squamous cells
 - **Answer:** B) Goblet cells
- 3. **What type of epithelium is found in the olfactory mucosa?**
 - A) Stratified squamous epithelium
 - B) Simple cuboidal epithelium
 - C) Pseudostratified columnar epithelium with chemoreceptors
 - D) Transitional epithelium
 - **Answer:** C) Pseudostratified columnar epithelium with chemoreceptors
- 4. **Which of the following is NOT found in the olfactory epithelium?**
 - A) Chemoreceptors
 - B) Goblet cells
 - C) Supporting cells
 - D) Basal cells
 - **Answer:** B) Goblet cells
- 5. **In the respiratory mucosa, what components are present?**
 - A) Epithelium, lamina propria, nasal glands, blood vessels
 - B) Epithelium, lamina propria, olfactory glands, blood vessels
 - C) Only epithelium and blood vessels
 - D) Only lamina propria and nasal glands
 - **Answer:** A) Epithelium, lamina propria, nasal glands, blood vessels
- 6. **What type of glands are present in the olfactory mucosa?**
 - A) Mucous and serous glands
 - B) Mucous glands only
 - C) Serous glands only
 - D) No glands present
 - **Answer:** C) Serous glands only

- 7. **Which structure contributes to the conditioning of inhaled air in the respiratory system?
 - A) Olfactory glands
 - B) Goblet cells in respiratory epithelium
 - C) Chemoreceptors in olfactory epithelium
 - D) Lamina propria
 - **Answer:** B) Goblet cells in respiratory epithelium
- 2. **Which type of cell in the respiratory epithelium is primarily responsible for mucus secretion?**
 - A) Columnar ciliated cells
 - B) Goblet cells
 - C) Brush cells
 - D) Basal cells
 - **Answer:** B) Goblet cells
- 3. **What is the primary function of columnar ciliated cells in the respiratory epithelium?**
 - A) Secretion of hormones
 - B) Trapping dust and bacteria
 - C) Sensory information processing
 - D) Movement of mucus via ciliary action
 - **Answer:** D) Movement of mucus via ciliary action
- 4. **Which cells in the respiratory epithelium have microvilli and are involved in sensory functions?**
 - A) Basal cells
 - B) Granule cells
 - C) Brush cells
 - D) Goblet cells
 - **Answer:** C) Brush cells
- 5. **What role do basal (stem) cells play in the respiratory epithelium?**
 - A) They secrete mucus.
 - B) They act as sensory receptors.
 - C) They serve as progenitor cells for regeneration.
 - D) They produce hormones.
 - **Answer:** C) They serve as progenitor cells for regeneration.
- 6. **What do granule cells (NE cells) secrete, and what is their primary function?**
 - A) Mucus; to trap pathogens
 - B) Serotonin and catecholamines; to regulate airway caliber and secretions
 - C) Carbon dioxide; to aid in respiration
 - D) Antibodies; to fight infections
 - **Answer:** B) Serotonin and catecholamines; to regulate airway caliber and secretions
- 7. **How do granule cells influence the development of the respiratory system?**
 - A) By increasing mucus production
 - B) By exerting a local mitogenic effect to influence the lengthening of airway branches
 - C) By enhancing ciliary movement
 - D) By providing structural support
- **Answer:** B) By exerting a local mitogenic effect to influence the lengthening of airway branches

- 8. **In adults, what is a key function of granule cells in relation to respiratory conditions?**
 - A) They improve airflow efficiency.
- B) They provide local regulation of bronchial or vascular muscle tone in response to hypoxia or hypercapnia.
 - C) They prevent infections in the respiratory tract.
 - D) They increase the production of surfactant.
- **Answer:** B) They provide local regulation of bronchial or vascular muscle tone in response to hypoxia or hypercapnia.
- 1. **What is one of the primary roles of serotonin in the respiratory epithelium?**
 - A) To decrease ciliary beat frequency
 - B) To stimulate ciliary beat frequency
 - C) To inhibit mucus secretion
 - D) To promote vasodilation
 - **Answer:** B) To stimulate ciliary beat frequency
- 2. **How does serotonin increase ciliary beat frequency (CBF)?**
 - A) By increasing blood flow to the epithelium
 - B) By inducing the release of acetylcholine (ACh) from columnar ciliated cells
 - C) By directly stimulating cilia
 - D) By inhibiting mucous secretion
 - **Answer:** B) By inducing the release of acetylcholine (ACh) from columnar ciliated cells
- 3. **What effect does serotonin have on the pulmonary vasculature?**
 - A) It causes vasodilation
 - B) It induces vasoconstriction
 - C) It has no effect on blood vessels
 - D) It increases blood flow
 - **Answer:** B) It induces vasoconstriction
- 4. **Through which receptors does serotonin exert its vasoconstrictive effect in pulmonary hypertension?**
 - A) 5HT-1A receptors
 - B) 5HT-1B receptors
 - C) 5HT-2A receptors
 - D) 5HT-3 receptors
 - **Answer:** B) 5HT-1B receptors
- 5. **What types of glands are found in the lamina propria of the respiratory epithelium?**
 - A) Only mucous glands
 - B) Only serous glands
 - C) Serous and mucous glands
 - D) Endocrine glands only
 - **Answer:** C) Serous and mucous glands
- 6. **What is the function of serous glands in the respiratory epithelium?**
 - A) To trap inhaled dirt and bacteria
 - B) To facilitate movement of cilia
 - C) To provide structural support
 - D) To produce hormones
 - **Answer:** B) To facilitate movement of cilia

- 7. **What happens to mucus in cystic fibrosis?**
 - A) It becomes thin and watery
 - B) It remains unchanged
 - C) It becomes dehydrated, thick, and sticky
 - D) It is completely absent
 - **Answer:** C) It becomes dehydrated, thick, and sticky
- 8. **What are the two layers of the mucous blanket in the respiratory system?**
 - A) Gel layer and solid layer
 - B) Gel layer and sol (peri-ciliary) layer
 - C) Solid layer and liquid layer
 - D) Mucous layer and serous layer
 - **Answer:** B) Gel layer and sol (peri-ciliary) layer
- 1. **What types of immune cells are found in the lamina propria of the respiratory system?**
 - A) Neutrophils and macrophages
 - B) Mast cells, plasma cells, and lymphoid nodules
 - C) Eosinophils and basophils
 - D) T cells and B cells only
 - **Answer:** B) Mast cells, plasma cells, and lymphoid nodules
- 2. **What is the role of Immune cells in the respiratory system?**
 - A) To regulate blood flow
 - B) To protect the respiratory system from inhaled microbes
 - C) To produce mucus
 - D) To facilitate gas exchange
 - **Answer:** B) To protect the respiratory system from inhaled microbes
- 3. **How do blood vessels in the lamina propria contribute to respiratory function?**
 - A) By increasing mucus production
 - B) By warming the inspired air
 - C) By filtering pollutants
 - D) By directly participating in gas exchange
 - **Answer:** B) By warming the inspired air
- 4. **What mechanism allows blood vessels to warm the inspired air in the respiratory system?**
 - A) Active transport
 - B) Counter-current exchange
 - C) Passive diffusion
 - D) Filtration
 - **Answer:** B) Counter-current exchange
- 5. **In smokers, what change occurs in the proportion of ciliated cells to goblet cells in the respiratory epithelium?**
 - A) Increased ciliated cells
 - B) Increased goblet cells
 - C) No change
 - D) Decreased goblet cells
 - **Answer:** B) Increased goblet cells
- 6. **What is the primary purpose of the increased number of goblet cells in smokers?**

- A) To enhance gas exchange
- B) To trap gaseous pollutants
- C) To promote the movement of cilia
- D) To prevent infections
- **Answer:** B) To trap gaseous pollutants
- 7. **What can explain allergic reactions in the upper respiratory tract?**
 - A) Increased ciliary movement
 - B) Presence of immune cells in the lamina propria
 - C) Decreased blood flow
 - D) Mucus production
 - **Answer:** B) Presence of immune cells in the lamina propriaHere are some multiple
- 1. **Where is the olfactory epithelium located?**
 - A) In the trachea
 - B) Covers the roof of nasal cavities and superior conchae
 - C) In the alveoli of the lungs
 - D) In the larynx
 - **Answer:** B) Covers the roof of nasal cavities and superior conchae
- 2. **Which type of cells in the olfactory epithelium are responsible for detecting smells?**
 - A) Supporting cells
 - B) Basal cells
 - C) Olfactory neurons
 - D) Goblet cells
 - **Answer:** C) Olfactory neurons
- 3. **What is the function of Bowman's glands in the olfactory epithelium?**
 - A) To secrete mucus
 - B) To produce odoriferous substances
- C) To secrete a constant flow of serous fluid to facilitate the dissolution of odoriferous substances
 - D) To provide structural support
- **Answer:** C) To secrete a constant flow of serous fluid to facilitate the dissolution of odoriferous substances
- 4. **What type of cells provide support in the olfactory epithelium?**
 - A) Basal cells
 - B) Supporting (sustentacular) cells
 - C) Ciliated cells
 - D) Goblet cells
 - **Answer:** B) Supporting (sustentacular) cells
- 5. **How often are olfactory neurons renewed?**
 - A) Every 10-20 days
 - B) Every 30-60 days
 - C) Every 90-120 days
 - D) Every year
 - **Answer:** B) Every 30-60 days
- 6. **What is a unique feature of the cilia of olfactory neurons?**
 - A) They are short and motile.

- B) They are long and non-motile, providing a large surface area for chemoreceptors.
- C) They are absent in adult neurons.
- D) They are covered in mucus.
- **Answer:** B) They are long and non-motile, providing a large surface area for chemoreceptors.
- 7. **What type of nerve fibers are found in the lamina propria of the olfactory epithelium?**
 - A) Trigeminal nerve fibers
 - B) Olfactory nerve fibers
 - C) Vagus nerve fibers
 - D) Facial nerve fibers
 - **Answer:** B) Olfactory nerve fibers
- 8. **What is the primary role of the olfactory epithelium?**
 - A) To facilitate gas exchange
 - B) To detect and transduce smells
 - C) To warm and humidify air
 - D) To trap pathogens in mucus
 - **Answer:** B) To detect and transduce smells
- 1. **What shape are supporting cells in the olfactory epithelium?**
 - A) Cuboidal
 - B) Tall columnar
 - C) Squamous
 - D) Pyramidal
 - **Answer:** B) Tall columnar
- 2. **What structure is found on the free surface of supporting cells?**
 - A) Cilia
 - B) Microvilli
 - C) Flagella
 - D) Stereocilia
 - **Answer:** B) Microvilli
- 3. **What type of junctions bind supporting cells to olfactory neurons?**
 - A) Gap junctions
 - B) Adherens junctions
 - C) Tight junctions
 - D) Desmosomes
 - **Answer:** C) Tight junctions
- 4. **What do supporting cells secrete that assists in the function of olfactory neurons?**
 - A) Mucus
 - B) Odorant-binding proteins
 - C) Hormones
 - D) Neurotransmitters
 - **Answer:** B) Odorant-binding proteins
- 5. **What role do supporting cells play in the sensation of smell?**
 - A) They directly transduce smell signals.
 - B) They provide structural support only.
 - C) They express abundant ion channels, aiding in signal conduction for smell sensation.

- D) They trap odorant molecules in mucus.
- **Answer:** C) They express abundant ion channels, aiding in signal conduction for smell sensation.
- 6. **In the context of COVID-19, what condition related to supporting cells has been observed?**
 - A) Enhanced smell
 - B) Loss of smell (anosmia)
 - C) Increased mucus production
 - D) Inflammation of the olfactory bulb
 - **Answer:** B) Loss of smell (anosmia)
- 7. **What is the function of basal cells in the olfactory epithelium?**
 - A) They secrete odorant-binding proteins.
 - B) They act as stem cells for regenerating olfactory and supporting cells.
 - C) They form tight junctions with olfactory neurons.
 - D) They trap environmental pollutants.
 - **Answer:** B) They act as stem cells for regenerating olfactory and supporting cells.
- 2. **What type of epithelium lines the paranasal sinuses?**
 - A) Stratified squamous epithelium
 - B) Simple cuboidal epithelium
 - C) Respiratory epithelium with few goblet cells
 - D) Transitional epithelium
 - **Answer:** C) Respiratory epithelium with few goblet cells
- 4. **What structures are found in the lamina propria of the nasopharynx?**
 - A) Vocal cords
 - B) Pharyngeal tonsil and openings of Eustachian tubes
 - C) Alveoli
 - D) Lymph nodes
 - **Answer:** B) Pharyngeal tonsil and openings of Eustachian tubes
- 5. **What is the primary function of the larynx?**
 - A) To filter and humidify inspired air
 - B) To produce voice and prevent food and fluid from entering the trachea
 - C) To assist in gas exchange
 - D) To trap pathogens
 - **Answer:** B) To produce voice and prevent food and fluid from entering the trachea
- 6. **What type of cartilage forms the epiglottis?**
 - A) Hyaline cartilage
 - B) Elastic cartilage
 - C) Fibrocartilage
 - D) Bone
 - **Answer:** B) Elastic cartilage
- 7. **How long is the larynx approximately?**
 - A) 2 cm
 - B) 4 cm
 - C) 6 cm
 - D) 8 cm

- **Answer:** B) 4 cm
- 8. **What type of epithelium lines the larynx?**
 - A) Stratified squamous epithelium
 - B) Simple columnar epithelium
 - C) Respiratory epithelium
 - D) Transitional epithelium
 - **Answer:** C) Respiratory epithelium
- 1. **How many pairs of mucosal folds (vocal cords) extend into the lumen of the larynx?**
 - A) One pair
 - B) Two pairs
 - C) Three pairs
 - D) Four pairs
 - **Answer:** B) Two pairs
- 2. **What are the upper pair of vocal cords commonly called?**
 - A) True vocal cords
 - B) False vocal cords (vestibular folds)
 - C) Vocal ligaments
 - D) Vocalis muscles
 - **Answer:** B) False vocal cords (vestibular folds)
- 3. **What type of epithelium covers the false vocal cords?**
 - A) Non-keratinized stratified squamous epithelium
 - B) Simple cuboidal epithelium
 - C) Respiratory epithelium
 - D) Transitional epithelium
 - **Answer:** C) Respiratory epithelium
- 4. **What is the primary function of the false vocal cords?**
 - A) To produce sound
 - B) To guard against the entrance of food into the larynx
 - C) To assist in respiration
 - D) To regulate airflow
 - **Answer:** B) To guard against the entrance of food into the larynx
- 5. **What type of epithelium covers the true vocal cords?**
 - A) Stratified cuboidal epithelium
 - B) Non-keratinized stratified squamous epithelium
 - C) Simple columnar epithelium
 - D) Respiratory epithelium
 - **Answer:** B) Non-keratinized stratified squamous epithelium
- 6. **What anatomical structures compose the true vocal cords?**
 - A) Vocal ligaments and smooth muscle
 - B) Vestibular ligaments and skeletal muscle
 - C) Vocal ligaments and skeletal muscle (vocalis muscle)
 - D) Elastic cartilage and ciliated epithelium
 - **Answer:** C) Vocal ligaments and skeletal muscle (vocalis muscle)
- 7. **How is sound produced by the true vocal cords?**
 - A) By changing the length of the larynx

- B) By tension of the cords and adjusting the distance between them
- C) By vibrating the cartilage of the larynx
- D) By the movement of air through the nasal cavity
- **Answer:** B) By tension of the cords and adjusting the distance between them
- 8. **What are the two types of vocal cords called?**
 - A) Upper and lower vocal cords
 - B) True and false vocal cords
 - C) Vestibular and vocal folds
 - D) Respiratory and non-respiratory folds
 - **Answer:** B) True and false vocal cords
- 1. **What is the approximate length of the trachea?**
 - A) 8-10 cm
 - B) 10-12 cm
 - C) 12-14 cm
 - D) 14-16 cm
 - **Answer:** C) 12-14 cm
- 2. **What type of cartilage forms the rings that keep the trachea open?**
 - A) Elastic cartilage
 - B) Fibrocartilage
 - C) Hyaline cartilage
 - D) Bone
 - **Answer:** C) Hyaline cartilage
- 3. **Which of the following is NOT one of the four layers of the tracheal wall?**
 - A) Mucosa
 - B) Submucosa
 - C) Elastic layer
 - D) Adventitia
 - **Answer:** C) Elastic layer
- 4. **What type of epithelium lines the mucosa of the trachea?**
 - A) Squamous epithelium
 - B) Stratified epithelium
 - C) Respiratory epithelium
 - D) Transitional epithelium
 - **Answer:** C) Respiratory epithelium
- 5. **Which layer of the trachea contains blood vessels and nerves?**
 - A) Mucosa
 - B) Submucosa
 - C) Cartilage layer
 - D) Adventitia
 - **Answer:** B) Submucosa
- 6. **What is the function of the trachealis muscle?**
 - A) To provide structural support
 - B) To facilitate gas exchange
 - C) To contract during coughing
 - D) To produce mucus

- **Answer:** C) To contract during coughing
- 7. **How does the contraction of the trachealis muscle affect the trachea during a cough?**
 - A) It increases the diameter of the trachea
 - B) It narrows the tracheal lumen
 - C) It decreases air velocity
 - D) It relaxes the trachea
 - **Answer:** B) It narrows the tracheal lumen
- 8. **What connects the ends of the C-shaped cartilage rings in the trachea?**
 - A) Elastic fibers
 - B) Smooth muscle
 - C) Loose connective tissue
 - D) Both A and B
 - **Answer:** D) Both A and B
- 1. **What type of cartilage is found in the primary bronchi?**
 - A) Hyaline cartilage
 - B) Elastic cartilage
 - C) Fibrocartilage
 - D) Complete rings of cartilage
 - **Answer:** D) Complete rings of cartilage
- 2. **Which of the following is NOT a layer of the wall of secondary bronchi?**
 - A) Mucosa
 - B) Musculosa
 - C) Submucosa
 - D) Adventitia
 - **Answer:** C) Submucosa
- 3. **What is the primary characteristic of the mucosa in the bronchi?**
 - A) Contains numerous goblet cells
 - B) Simple squamous epithelium
 - C) Highly folded respiratory epithelium
 - D) Contains ciliated cuboidal epithelium
 - **Answer:** C) Highly folded respiratory epithelium
- 4. **What type of cells are found in the mucosa of terminal bronchioles?**
 - A) Goblet cells
 - B) Clara cells
 - C) Ciliated epithelial cells
 - D) Squamous epithelial cells
 - **Answer:** B) Clara cells
- 5. **Which statement is true regarding the bronchioles?**
 - A) They contain cartilage and submucosa.
 - B) They have a complete layer of circularly arranged smooth muscle.
 - C) They are lined with stratified squamous epithelium.
 - D) They have numerous mucous glands.
 - **Answer:** B) They have a complete layer of circularly arranged smooth muscle.
- 6. **In which part of the bronchial tree do you find isolated cartilage plates?**
 - A) Primary bronchi

- B) Secondary bronchi
- C) Bronchioles
- D) Terminal bronchioles
- **Answer:** B) Secondary bronchi
- 7. **What type of tissue is associated with the lamina propria in the mucosa of the bronchi?
 - A) Mucosa-associated lymphatic tissue (MALT)
 - B) Adipose tissue
 - C) Dense regular connective tissue
 - D) Smooth muscle tissue
 - **Answer:** A) Mucosa-associated lymphatic tissue (MALT)
- 8. **What is the main function of neuroepithelial bodies found in the bronchioles?**
 - A) Secretion of mucus
 - B) Gas exchange
 - C) Chemosensory receptors for oxygen levels
 - D) Structural support
 - **Answer:** C) Chemosensory receptors for oxygen levels
- 1. **What is another name for Clara cells?**
 - A) Goblet cells
 - B) Club cells
 - C) Ciliated epithelial cells
 - D) Neuroepithelial cells
 - **Answer:** B) Club cells
- 2. **Which of the following best describes the shape of Clara cells?**
 - A) Squamous
 - B) Columnar
 - C) Dome-shaped
 - D) Cuboidal
 - **Answer:** C) Dome-shaped
- 3. **What type of granules do Clara cells contain?**
 - A) Mucus granules
 - B) Secretory granules
 - C) Lysosomal granules
 - D) Lipid granules
 - **Answer:** B) Secretory granules
- 4. **Which organelle is abundant in the cytoplasm of Clara cells, indicating high secretory activity?**
 - A) Mitochondria
 - B) Golgi apparatus
 - C) Basal rough endoplasmic reticulum (rER)
 - D) Nucleus
 - **Answer:** C) Basal rough endoplasmic reticulum (rER)
- 5. **What is one of the key defensive roles of Clara cells?**
 - A) Secretion of mucus
 - B) Production of surfactant
 - C) Release of glycoprotein granules

- D) Regeneration of damaged epithelium
- **Answer:** C) Release of glycoprotein granules
- 6. **Which of the following functions is associated with the smooth endoplasmic reticulum (sER) in Clara cells?**
 - A) Protein synthesis
 - B) Degradation of inhaled toxins
 - C) Production of mucus
 - D) Cell division
 - **Answer:** B) Degradation of inhaled toxins
- 7. **What substance do Clara cells secrete to prevent the collapse of bronchioles?**
 - A) Mucus
 - B) Surfactant-like substance
 - C) Cytokines
 - D) Proteolyase
 - **Answer:** B) Surfactant-like substance
- 8. **What potential consequence can arise from mutations in Clara cells?**
 - A) Asthma
 - B) Lung fibrosis
 - C) Adenocarcinoma of the lung
 - D) Chronic bronchitis
 - **Answer:** C) Adenocarcinoma of the lung
- 1. **Where does gas exchange primarily take place in the respiratory system?**
 - A) Trachea
 - B) Bronchi
 - C) Alveoli
 - D) Larynx
 - **Answer:** C) Alveoli
- 2. **Which of the following structures is NOT part of the respiratory portion?**
 - A) Respiratory bronchioles
 - B) Alveolar ducts
 - C) Alveolar sacs
 - D) Secondary bronchi
 - **Answer:** D) Secondary bronchi
- 3. **What type of epithelium lines the respiratory bronchioles?**
 - A) Simple squamous epithelium
 - B) Stratified squamous epithelium
 - C) Simple cuboidal ciliated epithelium
 - D) Ciliated columnar epithelium
 - **Answer:** C) Simple cuboidal ciliated epithelium
- 4. **Which cells are present in the walls of respiratory bronchioles?**
 - A) Goblet cells
 - B) Clara cells
 - C) Ciliated epithelial cells
 - D) Type I alveolar cells
 - **Answer:** B) Clara cells

- 5. **What characterizes alveolar ducts?**
 - A) They are lined with ciliated epithelium.
 - B) They have no smooth muscle at the distal end.
 - C) They do not contain any alveoli.
 - D) They primarily function in conducting air.
 - **Answer:** B) They have no smooth muscle at the distal end.
- 6. **Which type of cells line the alveolar ducts?**
 - A) Simple cuboidal cells
 - B) Goblet cells
 - C) Squamous and alveolar cells
 - D) Ciliated columnar cells
 - **Answer:** C) Squamous and alveolar cells
- 7. **What provides support at the distal end of the alveolar ducts?**
 - A) Smooth muscle
 - B) Cartilage
 - C) Elastic and collagen fibers
 - D) Connective tissue
 - **Answer:** C) Elastic and collagen fibers
- 8. **What is the role of Clara cells in the respiratory bronchioles?**
 - A) Gas exchange
 - B) Mucus secretion
 - C) Defense and secretion of surfactant-like substances
 - D) Structural support
 - **Answer:** C) Defense and secretion of surfactant-like substances
- 1. **What is the primary function of alveoli?**
 - A) Conducting air
 - B) Gas exchange
 - C) Mucus secretion
 - D) Structural support
 - **Answer:** B) Gas exchange
- 2. **What structure do alveoli open into?**
 - A) Trachea
 - B) Bronchi
 - C) Respiratory bronchioles, alveolar ducts, and alveolar sacs
 - D) Larynx
 - **Answer:** C) Respiratory bronchioles, alveolar ducts, and alveolar sacs
- 3. **What separates individual alveoli?**
 - A) Alveolar ducts
 - B) Inter-alveolar septa
 - C) Bronchial walls
 - D) Alveolar sacs
 - **Answer:** B) Inter-alveolar septa
- 4. **What are the pores of Kohn?**
 - A) Openings that connect alveoli for collateral ventilation

- B) Structures that prevent the collapse of alveoli
- C) Layers of smooth muscle in the alveolar walls
- D) Cells that produce surfactant
- **Answer:** A) Openings that connect alveoli for collateral ventilation
- 5. **What type of epithelium lines the alveoli?**
 - A) Stratified squamous epithelium
 - B) Simple cuboidal epithelium
 - C) Alveolar epithelium formed of type I and type II pneumocytes
 - D) Ciliated columnar epithelium
 - **Answer:** C) Alveolar epithelium formed of type I and type II pneumocytes
- 6. **Which type of pneumocyte is primarily responsible for gas exchange?**
 - A) Type I pneumocytes
 - B) Type II pneumocytes
 - C) Clara cells
 - D) Ciliated epithelial cells
 - **Answer:** A) Type I pneumocytes
- 7. **What is the function of type II pneumocytes?**
 - A) Gas exchange
 - B) Secretion of surfactant
 - C) Structural support
 - D) Defense against pathogens
 - **Answer:** B) Secretion of surfactant
- 8. **What characterizes alveolar sacs?**
 - A) They contain only one alveolus.
 - B) They are lined with ciliated epithelium.
 - C) They are groups of alveoli opening into a common central space.
 - D) They have no connection to alveoli.
 - **Answer:** C) They are groups of alveoli opening into a common central space.
- 1. **What is the primary function of inter-alveolar septa?**
 - A) Conducting air
 - B) Separating adjacent alveoli
 - C) Producing surfactant
 - D) Supporting bronchioles
 - **Answer:** B) Separating adjacent alveoli
- 2. **What type of network do inter-alveolar septa contain?**
 - A) Lymphatic network
 - B) Richest capillary network
 - C) Nervous network
 - D) Muscular network
 - **Answer:** B) Richest capillary network
- 3. **Where does gas exchange primarily occur?**
 - A) In the bronchi
 - B) In the inter-alveolar septa
 - C) In the alveoli
 - D) In the trachea

- **Answer:** C) In the alveoli
- 4. **What is the blood-air barrier found in the inter-alveolar septa?**
 - A) A barrier preventing airflow
 - B) A structure facilitating gas exchange
 - C) A barrier against pathogens
 - D) A structural support component
 - **Answer:** B) A structure facilitating gas exchange
- 5. **What type of fibers are inter-alveolar septa rich in?**
 - A) Collagen fibers only
 - B) Reticular fibers only
 - C) Elastic and reticular fibers
 - D) Smooth muscle fibers
 - **Answer:** C) Elastic and reticular fibers
- 6. **What cells are absent in inter-alveolar septa?**
 - A) Fibroblasts
 - B) Alveolar macrophages
 - C) Smooth muscle cells
 - D) Endothelial cells
 - **Answer:** C) Smooth muscle cells
- 7. **Which type of leucocytes migrate through the inter-alveolar septa to become alveolar macrophages?**
 - A) Neutrophils
 - B) Eosinophils
 - C) Monocytes
 - D) Lymphocytes
 - **Answer:** C) Monocytes
- 8. **What condition is characterized by the destruction of inter-alveolar septa?**
 - A) Asthma
 - B) Emphysema
 - C) Chronic bronchitis
 - D) Pneumonia
 - **Answer:** B) Emphysema
- 9. **Which viral infection is mentioned as causing destruction of inter-alveolar septa?**
 - A) Influenza
 - B) HIV
 - C) COVID-19
 - D) Measles
 - **Answer:** C) COVID-19
- 1. **What is the primary function of the blood-air barrier?**
 - A) Conducting air to the lungs
 - B) Preventing pathogens from entering the bloodstream
 - C) Allowing the exchange of O_2 and CO_2
 - D) Supporting lung structures
 - **Answer:** C) Allowing the exchange of O₂ and CO₂
- 2. **How many layers compose the blood-air barrier?**

- A) Two layers
- B) Three layers
- C) Four layers
- D) Five layers
- **Answer:** C) Four layers
- 3. **Which of the following is the first layer of the blood-air barrier?**
 - A) Cytoplasm of endothelial cells
 - B) Fused basal lamina
 - C) Cytoplasm of type I pneumocytes
 - D) Thin film of surfactant
 - **Answer:** D) Thin film of surfactant
- 4. **What is found in the second layer of the blood-air barrier?**
 - A) Alveolar macrophages
 - B) Cytoplasm of type I pneumocytes
 - C) Smooth muscle cells
 - D) Mucous glands
 - **Answer:** B) Cytoplasm of type I pneumocytes
- 5. **What makes up the third layer of the blood-air barrier?**
 - A) Alveolar epithelium
 - B) Fused basal lamina of type I pneumocytes and capillary endothelial cells
 - C) Interstitial fluid
 - D) Ciliated cells
 - **Answer:** B) Fused basal lamina of type I pneumocytes and capillary endothelial cells
- 6. **Which cell type is found in the fourth layer of the blood-air barrier?**
 - A) Type II pneumocytes
 - B) Type I pneumocytes
 - C) Endothelial cells
 - D) Clara cells
 - **Answer:** C) Endothelial cells
- 7. **What is the role of the thin film of surfactant in the blood-air barrier?**
 - A) To facilitate gas exchange
 - B) To reduce surface tension in the alveoli
 - C) To provide structural support
 - D) To prevent pathogen entry
 - **Answer:** B) To reduce surface tension in the alveoli
- 8. **Where does the exchange of O₂ and CO₂ occur in the respiratory system?**
 - A) In the bronchi
 - B) In the trachea
 - C) Across the blood-air barrier
 - D) In the pleural space
 - **Answer:** C) Across the blood-air barrier
- **What is the origin of alveolar macrophages?**
 - A) Neutrophils
 - B) Blood monocytes
 - C) Eosinophils

- D) Lymphocytes
- **Answer:** B) Blood monocytes
- 2. **What process do alveolar macrophages perform with dust particles?**
 - A) Secretion of mucus
 - B) Engulfing and digestion
 - C) Gas exchange
 - D) Transport of oxygen
 - **Answer:** B) Engulfing and digestion
- 3. **What are dust cells?**
 - A) Macrophages that engulf erythrocytes
 - B) Macrophages that engulf dust particles
 - C) Neutrophils found in the alveoli
 - D) Eosinophils involved in allergic reactions
 - **Answer:** B) Macrophages that engulf dust particles
- 4. **What are heart failure cells?**
 - A) Macrophages that engulf pathogens
 - B) Macrophages that engulf dust particles
 - C) Macrophages that contain hemosiderin granules from erythrocytes
 - D) Neutrophils present in congestive heart failure
 - **Answer:** C) Macrophages that contain hemosiderin granules from erythrocytes
- 5. **What histological feature is observed in the fetal lung?**
 - A) Clear lobulation due to thick connective tissue septa
 - B) Abundant alveoli lined with ciliated epithelium
 - C) Presence of mature type II pneumocytes
 - D) Simple squamous epithelium throughout
 - **Answer:** A) Clear lobulation due to thick connective tissue septa
- 6. **How does the epithelium of collapsed alveoli in the fetal lung appear?**
 - A) Simple squamous epithelium
 - B) Stratified squamous epithelium
 - C) Simple cuboidal epithelium
 - D) Ciliated columnar epithelium
 - **Answer:** C) Simple cuboidal epithelium
- 7. **What occurs to pulmonary blood vessels in the fetal lung?**
 - A) They are fully developed and functional
 - B) They are congested
 - C) They are non-existent
 - D) They are dilated and empty
 - **Answer:** B) They are congested
- 8. **What happens to the whole lung in water during fetal development?**
 - A) It floats due to air-filled alveoli
 - B) It sinks because the alveoli are collapsed and filled with fluid
 - C) It remains buoyant because of surfactant production
 - **Answer:** B) It sinks because the alveoli are collapsed and filled with fluid