

Which of the following is not class of the antiarrhythmic drug?

1. procainamide

2. Ibutilide

3. Chlorine channel blockers

5. Which one of the following is not an adverse effect of quinidine?

Select one:

- a. Diarrhea
- b. Atrial fibrillation.
- c. Tinnitus and dizziness
- d. Torsade de pointes
- e. A-V block

Group3: أبو وأم دكتور دعاء النقية
ibutilide... (Main Restore sinus rhythm) بعيد التوازن للبيت

Amidarone (بتعمل كل مهام البيت وبتوسع قلوب العيلة وبتتحملهم لوقت طويل)
Na, K, a.adrenoceptor, ca blocccck
has iodine
dilatation
وقت طويل 60days-25

Dronedarone : ليعوض food دكتور بدرس 24 ساعة بياكل
iodine ما عنده
inhibitor of CY3A4

Dofetilide : Doaa
pure K channel blockers

Group5: Adenosine....Atrial arrhythmia
10sec , bolus IV, inhibit Ca influx, use in coronary artery disease

reduced by ? Theophylline, Caffeine

(kinase)

Drugs For Atrial Fibrillation: مهم
اسم فيرا digoxin وأم دعاء كوين

بالترتيب

esmolol, Verapamil, digoxin, Amidarone, Doredarone, Quinidine

Group 1A. (دزو الكوين برو)

Quindine

, Na,K,a.adrenoceptor block,A.V conduction كوين صلاحياتها كثيرة

Atrial, Ventricle arrhythmia

QT prolongation

Orally , Iv in acute malaria

decrease renal excretion of digoxin

atropine like action

Thrombocytopenia, Cinchonism

procainamide:

not atropine like

no cinchonism

cause SLE

Disopyramide: not a . adrenoceptor blocker

Group1B: فينو ؟ لدوا تو مي!

phenytoin (sympathetic), antiepileptics رايح ومش خايف يعني بقلل الـ)

Lidocaine at ventricle arrhythmia

IV, بعدّي BBB

Tocainide

Mexiletine

Group1C: مرسيببي فلس برو

Moricizine, Flecainide, propofenone

مرسي الريس قوي most potent antiarrhythmia

Group2 : A, V arrhythmia (B.blocker)....

propranolol also as Na blocker