
PMS MOD Wateen archive



DONE BY:





[anatomy] arteries and veins are found in which layer of the scalp: a. One b. Two ✓ c. Three d. Four
Branch of ansa cervicalis not cutaneous : C1
The most substantial part of the suspensory apparatus is: Facial sheath ✓
Which of the following nerves give visceral sensory branch: Glossopharngyal nerve
Insertion of the orbital part of orbicularis oculi: Lower border of medial palebral ligament
Which of the following arteries supply the Ala of nose: Superior labial artery
Supply the mucous membrane of the larynx below the vocal cords, and the mucous membrane of the upper part of the trachea: Recurrent laryngeal nerve
Which of the following located in junction: optic chiasma ✓
Site of optic canal: In the lesser wing of sphenoid just medial to the superior orbital fissure
The medial wall of vestibule: forms the bottom of the internal auditory meatus <a>Image

[pharma]

The correct order of these fibers response to local anathesia:

Pain → sensory → motor ✓

adverse effect of propranalolol:

Nightmare and insomnia <a>

Case: adverse effect of alpha agonist:

postural hypotension

Case: patient with an allergy of benzocaine, the best topical analgesic to be used is:

- a)Cocain
- b) Buvicaine
- c) Procaine
- d) Tetracain
- e) Thiophnel sodium

Paitent present with angioedema and swelling mouth, you give him the Adrenaline:

•Intramuscularly

To treat open-angle glaucoma we use:

Dipivefrin <

Drug used in atropine toxicity:

Pralidoxim <

[histo]

All of the following considered epithelial receptors except

- a) Free nerve ending
- b) Olfactory epithelium
- c) Merkle tactile disk
- d) Meissner corpuscle <a>
- e) Plexus of bonnet

The layer where the LASIk technique done: Connective tissue sroma All of the following aretrue about limbus except: white color < [biochem] Which of the following is correct regarding to schiff base bond: Dissociate immediately < Wrong about the mechanism of olfactory transduction: influx of cl-[embryo] All of the following are drived from the first pharyngeal arch except: **Stapes** All of the following are true except: Ultimo brachial body drived from first pharyngeal pouch 1- all of the following from inter maxillary segment except: a. philtrum b. nasal septum

2- failure of fusion of the maxillary processes with the lateral nasal processes along

c. ala of the nose 🗸

Oblique facial cleft 🗸

the line of the nasolacrimal duct:

[micro]
2Qs about the characters of C. tetani:
True: grow on meat broth media <a>I
False: it's non motile
All of the following are characteristic of GBS except:
Produces a narrow zone of alpha hemolysis
All of the following true about polio virus except:
There are Four serotypes ✓
Which of the following virus cause hand foot and mouth disease Coxakie A
Sandflies are the vectors of:
Rift valley fever
[patho]
(case): patient with flu-like symptoms:
Guilin barré syndrome
All true about Korsakoff syndrome except: acute
*stocking and glove pattern causes:
Polyneuropathy
All of the following are neurodegenerative diseases except:
Multiple sclerosis
All true about multiple sclerosis except:
a) female more than male 2:1
b) active phase there is decrease in inflammatory cell and little to no myelin <a>I
***Q about CIPD :One is wrong? ^^ الخيارات من السلايدات لكن نسينا الخطأ منهم

[Surgery]

All of the following Motor somatic Symptoms of polyneuropathy, EXCEPT:

- Weakness
- flaccidity
- Hyporeflexia
- Fasciculations
- hypotrophy

**Secondary action of superior oblique muscle:

Depression, abduction

[physio]

True about chronaxie:

It's the measure of excitability <a>V

[Lab Physio]

Concerning presbyopia. all are true EXCEPT:

- a- It starts earlier in hyperopic patients
- b- There is a gradual increase in the amplitude of accommodation <a>V
- c- There a gradual recession of the near point
- d- Lens capsule becomes less elastic and lens nucleus becomes harder
- e- It is treated by convex lenses added to the distance correction

About conductive deafness which is wrong:

Positive rinene test <a>V

