

# MSS - Anatomy

---

## Archive

### Lecture 10

anterior triangle

Done by :

Aya Ayman

## Anatomy - lecture (10)

1. \*One of the following structure is deeper than platysma:

- A- External jugular vein.
- B- Anterior jugular vein.
- C- Internal carotid artery.
- D- Internal jugular vein.
- E- External carotid artery.

Answer: A

2. Thyrohyoid muscle supplied by which cranial nerve :

- A- C1.
- B- C2.
- C- C3.
- D- C4.
- E- C5.

Answer: A

3.\* Styloid process give attachment for all of the following except :

- A - Stylomandibular ligament.
- B- Stylohyoid muscle.
- C- Styloglossus muscle.
- D- Stylohyoid ligament.
- E- Stylohyoid muscle.

Answer: E

## Anatomy - lecture (10)

4. One of the following is wrong about infrahyoid muscles :
- A- The four infrahyoid muscles are : sternohyoid, sternothyroid, Odontoid and thyrohyoid.
  - B- All muscles supplied by ansa cervicalis except thyrohyoid only by Cl.
  - C- Sternohyoid muscle depresses the hyoid bone.
  - D- All muscles are innervated by vagus nerve.
  - E- Sternohyoid muscle attached to the back of medial part of the clavicle.

Answer : D

5. Content of the Carotid sheath except :
- A. Internal carotid artery
  - B. Common carotid artery
  - C. Vagus nerve
  - D. Internal jugular vein
  - E. Sympathetic trunk (chain)

Answer: E

## Anatomy - lecture (10)

6. During a surgery, the hypoglossal nerve is resected after it receives C1 with its course, which muscle is predicted to stop from working?

- A) sternothyroid
- B) sternohyoid
- C) superior belly of omohyoid
- D) inferior belly of omohyoid
- E) thyrohyoid

Answer: E