

Lecture 2

Neuroscience II Pathology

Medical card

Date of

Corrected by: Malaak Al Zaidaneeyen



ROUH ARCH

1- One is true regarding ALZHEIMER DISEASE ?

A)down syndrome have the disease early than sporadic cases.

B) Alzheimer's Disease (AD) is a neurodegenerative disease and is the most common cause

of bradykinesia amyloid beta secretion.

C) is toxic for microglial celis.

D)acumulation of tau protein fundamental abnormality in histology nuriticplaques.

Answer:D

Lecture 2

WATEEN ARCH

2- Which of the following disease associated with down syndeome? Allzeimer disease.

NABD + WAREED

3- One of the following diseases is associated with early onset in trisomy 21 individuals Down syndrome?

- a- Amyotrophic Lateral Sclerosis
- **b- Parkinson Diseas**
- c-Wernicke encephalopathy
- d-Huntington Disease
- e- Alzheimer Disease

4- The Wrong statement about alzheimer's disease :

a. death due to infection

b. altered mood and behavior.

- c. Macro: cortical atrophy.
- d. intracellular amyloid and extracellular tau

e.in early life associated with Down syndrome

Answer: D

Ans:e

5- A 69 year old female referred to the specialty memory clinic from neurology with a 2year history memory loss, and executive function loss. Word finding and reading/writing skills were noted to have deteriorated in the preceding 6 months according to her husband. She also stopped driving her car about 6 months. Magnetic resonance imaging scan revealed mild generalized cortical atrophy. Which of the following mechanisms is most likely responsible for her disease:

Lecture 2

- a- Aggregation of Huntington.
- b- Aggregation of Amyloid beta (AB) peptide.
- c- Autoimmune response against components of the myelin sheath.
- d-Loss of upper motor neurons in the cerebral cortex.
- e-Dopaminergic neurons degeneration.

Ans:b

6- The percentage of people expected to develop Alzheimer's disease from the age of 60 to 64 is:

- **a. 47%**
- **b.** 1%
- **c.10%**
- **d. 73%**
- **e.** 20%

Ans:b

لو لم يكن من فائدة العلم والاشتغال به إلا أنه يقطع المشتغل به عن الوساوس المضنية، ومطارح الآمال التي لا تفيد غير الهم، وكفاية الأفكار المؤلمة للنفس، لكان ذلك أعظم داع إليه**!** - ابن حزم الأندلسي



Lecture 3

Neuroscience II Pathology

Medical card

Date of

Corrected by: Malaak Al Zaidaneeyen





هو م<mark>و تر</mark>اكمي هو بسبب النقصان لهيك غلط

ROUH ARCH

1- AMYOTROPHIC LATERAL SCLEROSIS, one is true:
A)degeneration of cerebral cortex and spinal cord 22 in chromosome.
B)mutationin SOD1.
C)mutantm HTt.

D)hypereflexia symptoms to lower motor lesion.

E)death due to renal failure.

Answer:B

Answer: B

2- Which of the following is a mismatch among accumulated protein // disease? مكرر

- A. Tau // alzheimer disease
- **B.** Thiamine // wernicke encephalopathy
- C. Alpha-synuclein // parkinsons disease
- D. mHTT // huntington disease
- E. SOD1 // amyotrophic lateral sclerosis

3- Lewy bodies are form of accumulated proteins inside neural cells causing diseases. Lewy bodies are aggregates of: مكرر A. Amyloid

- B. Super oxide dismutase 1
- C. Tau protein
- D. Alpha-synuclein
- E. Glycosylation end products

Answer : D

4- The type of inheritance of huntington disease is: مكرر

- A. Autosomal dominant
- **B.** Autosomal recessive
- C. X-linked recessive
- D. X-related inheritance
- E. Autosomal dominant & X-linked recessive

Answer : A

Lecture 3

5-HUNTINGTON DISEASE:

- A. autosomal dominant
- **B. autosomal recessive**
- C. X-link dominant
- **D. X-link recessive**

Answer : A

WATEEN ARCH

- 6- All of the following are associated with wernicke encephalopathy except? Vit. B12
- 7- All about korsakoff syndrome is true except: Acute

NABD + WATEEN ARCH

8- One of the following is CORRECT about Thiamine Vitamin B1 deficiency?

- a- Thiamine deficiency result from gastric disorders such as chronic gastritis
- b- Untreated Korsakoff syndrome leads to the irreversible Wernicke encephalopathy.
- c- Wernicke encephalopathy is associated with memory impairment.
- d-Korsakoff syndrome is the acute phase of the encephalopathy.
- e-Korsakoff syndrome is reversible when treated with thiamine.

Ans:a

9-<u>.One</u> of the following pairs between the neurodegenerative disease and the main location for the CNS injury is WRONGLY matched:

- a-Wernicke encephalopathy: mammillary bodies
- b- Huntington Disease: Caudate and putamen.
- c-Amyotrophic Lateral Sclerosis: Anterior horn cells.
- d-Parkinson Disease: Striatum.
- e- Alzheimer Disease: Frontal and temporal lobes.

Ans:d

Lecture 3

10- <u>One</u> of the following pairs between the disease and anatomic region primarily affected by the disease is WRONGLY matched?

a. Huntington Disease //// Caudate nucleus.

b. Alzheimer Disease //// Frontal and temporal lobes.

c. Amyotrophic Lateral Sclerosis //// Betz cells.

d. Chronic inflammatory demyelinating polyradiculopathy /// Peripheral nerves.

e. Parkinson Disease //// Striatal neurons

Ans:e

11- Anticipation typically occurs with disorders that are caused by a trinucleotide repeat expansion. The number of repeats can change as the gene is passed from parent, which leads to more severe and early- onset signs and symptoms. Which of the following diseases is associated with this Phenomenon:

a- Alzheimer Disease

b- Parkinson Disease

c-Wernicke encephalopathy

d-Huntington Disease

e- Amyotrophic Lateral Sclerosis Ans:d

«أخشى إن لم نبادر عاجلًا بالصعود إلى جسر التَّعب؛ أن نصطدم يومًا بتصرّم العمر دون تحقق شيءٍ من تلك الطّموحات وما أقسى خيبة نهاية النَّفق» -