

UGS-Community

Archive

Lecture 1

Menses

Corrected by:

هشام محمد محاسنه

Q1: One of the following is an inappropriate hygienic practice.

- A. Wiping from back to front
- B. Protected sex
- C. Hand washing after changing of sanitary towel
- D. Safe disposal of used sanitary materials or blood
- E. Changing pads frequently

Answer: A. Wiping from back to front

Q2: All of the followings are PCOS symptoms EXCEPT:

- A. Persistent ovulation
- B. Polycystic ovaries
- C. Obesity
- D. Hypertension
- E. Persistent anovulation

Answer: A. Persistent ovulation

Q3: Threatened abortion occurs within?

- A. First 10 weeks of pregnancy
- B. First 12 weeks of pregnancy
- C. Third trimester of pregnancy
- D. At second day of pregnancy
- E. Does not occur

Answer: B. First 12 weeks of pregnancy

Q4: All of the following are true EXCEPT:

- A. Metrorrhagia: Irregular menstrual intervals, excessive flow and duration
- B. Oligomenorrhea: Menstrual interval greater than 35 days
- C. Secondary amenorrhea: Absence of menstruation for 3–6 months in a woman who previously menstruated
- D. Primary amenorrhea: Absence of menstruation despite signs of puberty
- E. Menarche: Age of onset of pregnancy

Answer: E. Menarche: Age of onset of pregnancy
(التعريف الصحيح: onset of menstruation not pregnancy)

Q5: Mayer-Rokitansky-Küster-Hauser syndrome is characterized by:

- A. Absent uterus/vagina
- B. Double uterus/one vagina

Answer: A. Absent uterus/vagina

Q6: All of the following comes with PCOS EXCEPT:

- A. Obesity
- B. Hirsutism
- C. Cease menses for > 3 months

Answer: C. Cease menses for > 3 months

UGS-Community

Archive

Lecture 2

Sexually transmitted
infections
(Public Health Perspective)

Corrected by:

هشام محمد محاسنه

Q1: Which of the following HPV types is associated with cancer?

- A. HPV 1/6
- B. HPV 6/11
- C. HPV 16/18
- D. HPV 1/2
- E. HPV 5/7

Answer: C. HPV 16/18

Q2: Which of the following diseases is preventable through vaccination?

- a. Syphilis
- b. Gonorrhoea
- c. Herpes simplex
- d. Chlamydia
- e. HPV

Answer: e. HPV

Q3: Which of the following concerning HPV vaccine is WRONG?

- A. Given to males & females of 9–14 years of age in 2 doses regimen
- B. Given to females only of 9–14 years of age in 2 doses regimen
- C. Given to males & females of 15–26 years of age in 3 doses regimen
- D. Given to immunocompromised males & females in 3 doses regimen
- E. Given to males & females in 3 doses regimen if they begin vaccination after 27 years of age

Answer: B. Given to females only of 9–14 years of age in 2 doses regimen

Q4: Which of the following statements about sexually transmitted infections (STIs) is TRUE?

- a. Transmitted through sexual contact only
- b. Never spread through non-sexual means such as via blood or blood products
- c. Symptoms or disease due to the incurable viral infections cannot be reduced or modified through treatment
- d. Some can be transmitted from mother to child during pregnancy and childbirth
- e. Incurable STIs include: syphilis, gonorrhoea, chlamydia, and trichomoniasis

Answer: d. Some can be transmitted from mother to child during pregnancy and childbirth