




# Biostatistics

## Archive

## Lecture 3

Corrected By :

Fatimah Atawi

Malak Alqadi

Orjwan Yousef

Layan Riyadh

Designed By :

Raneem Dmour

Edited By :

Mohammed Ramadan

1. One of the following measures of tendency need(s) data organization:

- a. Mean
- b. Median
- c. Mode
- d. Two of the above

Answer: b. Median

2. For the following set of data: 1, 2, 2, 2, 3, 4, 6, 6, 7. The mean, mode and median will be, respectively:

- a. 3.67, 2 and 3
- b. 3.67, 3 and 2
- c. 4.67, 2 and 3.5
- d. 4, 2 and 3.5

Answer: A. 3.67, 2 and 3

3. The median of this set of data (2, 4, 3, 6, 1, 8, 9, 2, 5, 7) is:

- a. 2
- b. 4
- c. 4.5
- d. 4.7

Answer: c. 4.5

4. In a sample of 520 pregnant women who gained weight during pregnancy, the mean was 2.5 Kgs, the median was 3.75 Kgs and mode was 2.1 Kgs. The curve for this data will be:

- a. Skewed to the right
- b. Skewed to the left
- c. A uniform curve
- d. A symmetrical curve
- e. Cannot be determined with the given data

Answer: b. Skewed to the left (Dr. Waqar's answer)

7. During 10 months, the numbers of cholera cases in an area were: (20, 20, 50, 56, 60, 5000, 678, 858, 345, 456) The best central tendency measurement is? Select one

- a. Mean
- b. Range
- c. Median
- d. Mode
- e. SD

Answer: c. Median

8. A distribution which has more than one point of concentration is called? Select one

- a. Positively skewed
- b. Multi modal
- c. bimodal
- d. Symmetrical

Answer: b. Multi modal

9. A distribution which has two points of concentration is called? Select one

- a. Positively skewed
- b. Multi modal
- c. bimodal
- d. Symmetrical

Answer: c. bimodal

10. The median is? Select one

- a. The difference between the largest and the smallest value of observations
- b. The values that occurs most frequently in a set of data
- c. It is the sum of all observation divided by number of observations
- d. It is the middle value in ordered array data
- e. A measure of variation

Answer: d. It is the middle value in ordered array data

11. In this set of data 8, 4, 6, 2, 6, 9, which of the followings is the median? Select one

- a. 5.5
- b. 6.5
- c. 6
- d. 8
- e. 4.5

Answer: c. 6

12. The correct answer regarding the marks of 9 students, 30, 51, 51, 51, 35, 58, 45, 38, 41 is? Select one

- a. Mean is 31
- b. Range is 30-58
- c. Median is 15
- d. Mode is 15
- e. Mode is 58

Answer: b. Range is 30-58

13. The value in a series of data with highest frequency is termed as? Select one

- a. Mean
- b. Standard error
- c. Median
- d. Mode
- e. Range

Answer: d. Mode

14. Variation between the highest and lowest values in a set of data is termed as?

Select one:

- a. Mid-point
- b. Standard Deviation
- c. Class Interval
- d. Range
- e. Standard error

Answer: d. Range

15. A distribution of 6 scores has a median of 21. If the highest score increases 3 points, the median will be:

- a. 24
- b. 18
- c. 21.5
- d. 21
- e. Further information is needed

Answer: D. 21

16. The median for the following set of data: "2, 7, 50, 14, 2, 50, 34, 50, 12, 39 and 40" is:

- a. 7
- b. 50
- c. 34
- d. 2
- e. 14

Answer: C. 34

17. All of the following are false regarding arithmetic mean Except:

- a. It is not necessarily a unique value
- b. It is not affected by extreme values
- c. It is the most commonly used measure of central tendency in statistical analysis
- d. It can be used with all types of variables
- e. It is not affected by skewed data

Answer: C. It is the most commonly used measure of central tendency in statistical analysis

18. In a group of 12 scores, the largest score has increased by 36 points. The effect of such a change on the mean will be:

- a. Nothing, it will remain unchanged.
- b. There is no way of knowing exactly how many points the mean will increase.
- c. It will increase by 36 points.
- d. It will increase by 12 points.
- e. It will increase by 3 points.

Answer: E. It will increase by 3 points



19. The following are weights in kilograms for six children: 5, 9, 9, 8, 7 and 5. The median weight for these children is:

- a. 8 kgs and 9 kgs
- b. 7.5 kgs
- c. 9 kgs only
- d. 6.5 kgs

Answer: B. 7.5 kgs

20. One of the following is not true regarding the mode:

- a. It is not practically used for continuous data
- b. It can be used for all types of data
- c. It is the observation that has the highest frequency
- d. It is possible to have two or more modes for the same data
- e. It is not affected by extreme values

Answer: B. It can be used for all types of data

21. In one city five white children and seven African American children are bitten by rats. The white children are aging 3, 6, 4, 5, and 3 years. The African American children are aging 4, 2, 5, 3, 2, 4, and 1 years. Based on this information, it can be determined that:

- a. The range of ages for the African American children is twice for the white children
- b. The range of ages for the African American children and the white ones cannot be compared
- c. The range of ages for the African American children is greater than that of the white ones
- d. The range of ages for the African American children is smaller than that of the white ones
- e. The range of ages for the African American children equals that of the white ones

Answer: C. The range of ages for the African American children is greater than that of the white ones

22. In one city five white children and seven African American children are bitten by rats. The white children are aging 3, 6, 4, 5, and 3 years. The African American children are aging 4, 2, 5, 3, 2, 4, and 1 years. Based on this information, it can be determined that:

- a. The mean of ages for the African American children is twice for the white children
- b. The mean of ages for the African American children and the white ones cannot be compared

- c. The mean of ages for the African American children is greater than that of the white ones
- d. The mean of ages for the African American children is smaller than that of the white ones
- e. The mean of ages for the African American children equals that of the white ones

**Answer: D. The mean of ages for the African American children is smaller than that of the white ones**

In one city five white children and seven African American children are bitten by

rats. The white children are aging 3, 6, 4, 5, and 3 years. The African American children are aging 4, 2, 5, 3, 2, 4, and 1 years. Based on this information, it can be determined that

- a. The median of ages for the African American children is twice for the white children
- b. The median of ages for the African American children and the white ones cannot be compared
- c. The median of ages for the African American children is greater than that of the white ones
- d. The median of ages for the African American children is smaller than that of the white ones
- e. The median of ages for the African American children equals that of the white ones

**Answer: D. The median of ages for the African American children is smaller than that of the white ones**

24. The mean is? Select one

- a. The difference between the largest and the smallest value of observations
- b. The values that occurs most frequently in a set of data
- c. It is the sum of all observation divided by number of observations
- d. It is the middle value in ordered array data

**Answer: c. It is the sum of all observation divided by number of observations**

25. The mode is:

- a. The values the occur most often in a set of data
- b. The difference between the largest and the smallest value of observations
- c. The sum of all observation divided by number of observations
- d. The middle value in an ordered array data
- e. The middle value in a set of data

**Answer: The values the occur most often in a set of data**

26. Regarding continuous variables, one of the following is wrong:

- a. It is best represented by mode
- b. BP is an example
- c. Histogram is a suitable diagram for it
- d. Its values do not have to be integers

Answer: A. It is best represented by mode

27. As per the following data set:

13, 27, 29, 5, 11, 5, 11, 2, 2, 11, 11, 2, 2

The best description will be:

- a. Of no mode
- b. Bimodal
- c. Unimodal
- d. Trimodal
- e. Tetra- modal

Answer: B. Bimodal

