

Occupational health/3rd year

Dr. Nedal/ L1

physical hazards

Disorders Related To Vibration Exposure



➤ Vibration occurs when **mechanical energy** from an **oscillating source** is transmitted to another structure.

گھماؤ متذبذب

➤ Occupational vibration has both **acute** & **chronic** effects on **workers** health & the **ability to work**. Cumulative vibration trauma most often occurs with **work history at least 2000 hours of exposure (usually 8000 hours)**.

"سکتا ہے" →

(2)

Effect Of Vibration Depend On:

1. Frequency of vibration expressed in Hertz.
2. Direction & intensity (acceleration) of vibration.
3. Duration of exposure. *sup*
4. Human resonance:
 - Every part of the body has its own natural vibration level, as well as the body as a whole. When vibration of the same frequency is applied, resonance ^{sup} [Tone, Echo, Amplification] of that vibration occurs often with adverse effect.

Types of human vibrations can be divided into:

1. **Whole Body Vibration (WBV)** which is usually transmitted to the entire human body through some supporting structure, such as vehicle seat or building floor.
2. **Segmental or Hand Arm Vibration (HAV)** and usually affect locally specific body part e.g. hands by vibrating tool.

Although WBV & HAV are usually distinct, some workers may be exposed to both types e.g. (if the worker using a hand tool place it closely to his abdomen while doing his job).

1) Whole body vibration (WBV):

- ✓ High risk group: truck & bus drivers, heavy equipment operators, miners, farmers & constructor workers).

عمال المناجم

عمال البناء

- ✓ WBV is a form of **cumulative trauma**; it can be regarded as a **generalized stressor**, and may affect **multiple body systems** evidenced by the higher **incidence of musculoskeletal**, **neurological**, **circulatory**, **digestive disorders** than the **normal population**.

فهم الجدول
موسم

Industry	Vibration	
	Type	Common source
Agriculture	WBV	<u>Loaders</u> + <u>Bulldozers</u> + <u>Tractors</u>
<u>Construction</u>	WBV + HAV	Heavy equipment vehicles + Pneumatic tools
Forestry		Tractors + Chainsaws
Mining		Drills + Grinders + Vehicles
Textile	HAV	Sewing machines
Transportation	WBV	Bus + Train + Tram + Helicopters

Agricultural & Forestry Workers show the rare clinical picture so called **WBV Sickness** which characterized by:

1. **Loss of weight, insomnia, gastro-intestinal problems** (nausea, vomiting), **drop of visual acuity** and disorders in **labyrinthine system**.
الدوخة
2. The 2nd stage is marked by **intense musculoskeletal pain**
3. On examination, **muscular atrophy & skin trophic lesion**

✓ **WBV control:** The international standards organization (ISO) had established guidelines for **WB vertical vibration** exposure times to various frequencies & acceleration level that can be tolerated. The **least acceptable range of frequencies** at all **acceleration and durations of exposure** is from **4 - 8HZ**, the **shortest** the **vibration exposure duration**, the **higher** the **acceleration level that can be tolerated**.
تزداد

These standards should be associated with the following measures to minimize WBV worker exposure effects:

1. Do not remain on a vibrating surface any longer that absolutely necessary.
2. Carefully ^{احساناً عليه} maintain vibration sources to prevent excessive vibration from developing.
3. Use vibration isolated suspended or air ride seats for vehicle drivers and mechanically isolate other vibrating sources from workers.
4. Do not lift objects immediately after emerging from the vehicle after a long ride, rather first walk around for a few minutes.

Hand Arm Vibration Syndrome (HAVS):

- Workers at risk: power saws workers, grinders, sanders, pneumatic drillers, Jack hammers.
- Segmental vibration injury can occur with frequencies from 150-300HZ band leading to:

White Fingers Disease.

Prolonged exposure to hand-arm vibration can lead to **hand-arm vibration syndrome (HAVS)**. HAVS affects the nerves, blood vessels, muscles and joints of the hands, wrists and arms and can become severely disabling if ignored.

HAVS includes **vibration white finger** which can cause severe pain in the affected fingers.

Carpal tunnel syndrome is a nerve disorder which may involve pain, tingling, numbness and weakness in parts of the hand, and can be caused by, among other things, exposure to vibration.



Effect may be either **acute or chronic** (cumulative) & the risk is increased with exposure to **cold with strenuous physical operation**, **emotional stress**, use of **vasoactive drugs** & **smoking**.

❖ **White Finger Disease** is characterized by spasms of **digital arteries** (Raynaud's phenomenon) caused by:

1. **Damage of peripheral nerves and perineural connective tissue deposition.**
2. **Vascular damage** (extensive damage to **digital arterial intimal, arterial muscle wall with narrowing of the lumen**, extensive **connective tissue deposition** in **perivascular tissue** & **micro vascular occlusion**).
3. **Excess connective tissue deposition** in **subcutaneous tissue**.

Clinical Picture:



1. Early symptoms consist of numbness followed by tingling of the fingers which later begin to turn white in cold environment or touching cold objects. At first the symptoms are easily reversible after removal from exposure.
2. Intermittent attacks of blanching often starts in winter with the tip of one finger but progressively extend to other finger tips & bases of all fingers on the exposed hand.
3. With continuous exposure, blanching & cyanosis may occur also in summer season.
4. Return of blood circulation at the end of the attack is associated with red flush, pain, throbbing & parasthesia.
5. In more advanced cases, degeneration of the hand bones & cartilage may occur, resulting in joint stiffness, restriction of motion and arthralgia, trophic skin changes and gangrene.
6. The greater the intensity of vibration, the shorter the latent period between exposure & appearance of symptoms &

Symptoms

Mild HAVS

- Episodic blanching
- Numbness
- Tingling

Severe HAVS

- Cyanosis
- Skin necrosis
- Gangrene

HAVS (W. finger)



Hand-arm Vibration Control:

1. **Pre employment examination**, those with **Raynaud's disease**, phenomenon must **not** work with **vibratory hand tool**.
2. Workers should use **A/V gloves** which use **special viscoelastic materials** to **damp a broad spectrum** vibration & keep the hands **warm, dry & prevent cuts and lacerations**. Also gloves should be changed if the hands get wet.
3. Let the **tool do the work**, **grasping** it as lightly as it is safe to do so, allowing the tool to rest on the work piece when possible.
4. **Use the tool** only when absolutely necessary.
5. Avoid **continuous work for long time**, allow **10-minutes vibration-free** rest break for every hour continuous work.
6. **Avoid smoking** while particularly using the tool.
7. Instruct workers about the **early signs & symptoms** of **HAVS** & to see the physician promptly if they develop.



A/V Work Gloves