

Patient's rights and consent

Dr Melad Gad Paulis

Content

- **Patients' Rights**
- **Patients' Responsibilities**
- **Consent**

- <https://moh.gov.jo/ar/Albasheer/ServicesGuideDetails/29/157>
- <http://hospital.ju.edu.jo/Home.aspx>
- <http://hospital.ju.edu.jo/Documents/%D8%AD%D9%82%D9%88%D9%82%20%D9%88%D9%88%D8%A7%D8%AC%D8%A8%D8%A7%D8%AA%20%D8%A7%D9%84%D9%85%D8%B1%D9%8A%D8%B6.pdf>



Patients' Rights

الإفصاح

- **Information Disclosure (the right to know)**

Patients have the right to receive accurate and easily understood information about their health plan.

- **Participation in Treatment Decisions**

Patients have the right

- To know all their treatment options
- To participate in decisions about their care.
- Parents, guardians, family members, or other individuals that patients can choose who represent them if they cannot make their own decisions.

الأهل أو الوصي

Patients' Rights

- Know the names/ titles of your healthcare providers.
- Request for a change of provider or **second opinion**.
- Request **a medical report** and access your **medical record** as permitted by law.
- Be informed about **financial responsibilities**.
- **Refuse, discontinue** treatment or leave against doctor's advice as permitted by law.
- Provide your **written consent** prior any **video recordings** or other images are taken.



Patient's rights

المريض

- Receive care regardless of race, faith, color, national origin, gender, age or disability.
- Have your personal dignity, privacy, culture, psychosocial and personal values, beliefs and preferences respected.
- Be in a clean and safe environment.
- Have your pain assessed and managed in a timely manner.
- Access spiritual care services available in our community

Patients' Rights

«السرية»

- ***Confidentiality of Health Information***
 - Patients have the right to talk in confidence and to have their health care information protected.
 - Patients also have the right to review and copy their own medical record and request that the physician correct their record if it is not accurate, relevant, or complete.

Breaking bad news

- Sometimes there are bad news to the patient as disease recurrence, spread of disease or failure of treatment to affect disease progression, the presence of irreversible side effects, and revealing positive results of genetic tests.

What should you do?

The main reasons that doctors may not deliver unfavorable information to their patients include, but are not limited to, the following:

1. **Fear** (worry) about the patient's reaction to the information disclosed
2. A belief that it is "in the **patient's best interest**"
3. Lack of **adequate time** to properly explain to the patient
4. **Language barrier**: either by speaking a different language than that of the patient or failure to communicate with the patient in a language he/she can understand

Breaking bad news: why should I tell bad news?

1. By hiding, falsifying, or manipulating the information you may be giving to your patients, you might be acting in an unprofessional way. Even worse, you may face allegations of professional misconduct. (it against autonomy) (if he does not know, how will he decide?)
بإخفاء المعلومات التي قد تقدمها لمرضاك أو تزويرها أو التلاعب بها، قد تتصرف بطريقة غير مهنية. والأسوأ من ذلك، قد تواجه اتهامات بسوء السلوك المهني (وهذا يتعارض مع استقلاليته) (إذا لم يكن يعلم، فكيف سيقدر؟).
2. This includes the patient's satisfaction with the health care service, which is key to your reputation as a “good” doctor.
3. Physicians who fail to communicate bad news to their patients were found to subject their patients to unnecessary treatments that sometimes worsen, rather than help, the patient's condition.

How to break bad news to patients?

A summary of the 6-step protocol, referred to as the **SPIKES**:

- 1. S: SETTING UP the interview includes** (Creating a favorable environment, Giving adequate time, Determining who else the patient would like present).
- 2. P - Assessing the patient's PERCEPTION** (Start the discussion by establishing what the patient and family know about the patient's health, With this information, determine if the patient and family will be able to understand the bad news).
- 3. I - Obtaining the patient's INVITATION:** Each patient has the right to
 1. Decline voluntarily to receive information
 2. Choose someone to communicate on his or her behalf.

مستوى
الوعي

نيابة عنه

How to break bad news to patients?

- 4. **K** - Giving **KNOWLEDGE** and information to the patient
 - 1. Deliver the information in a sensitive but straightforward manner. Say it as it is, then stop
 - 2. Avoid delivering all the information in a single, steady monologue
 - 3. Use simple language that is easy to understand
 - 4. Pause frequently, check for understanding
 - 5. Do not “soften the blow” as it may lead to vagueness and confusion

How to break bad news to patients?

5. **E** - Addressing the patient's **EMOTIONS** with empathetic responses

عاطفية

6. **S** - **STRATEGY AND SUMMARY**:

Establish a plan for the **next steps**, which may include:

- Performing further **tests**
- Treating current **symptoms**
- Arranging for appropriate **referrals**

توصيات

Patients' Responsibilities

- **To provide information about their health, including past illnesses, hospital stays and use of medicine.**
- **To ask questions when they do not understand information or instructions.**
- **To tell their doctor if they believe that they cannot follow through with their treatment.**

Patients' Responsibilities

- **To follow hospital rules and regulations affecting patient care and conduct.**
- **To be considerate of the needs of other patients, staff and the hospital. This includes controlling noise, smoking and the number of visitors.**
- **To provide information about their insurance and to work with the hospital to arrange payment, when needed.**

الجزء الأهم

Informed Consent



Case scenario 1:

كفارة وعائلة

- An 80-year-old, fully conscious, and competent man with advanced incurable cancer needed palliative chemotherapy. The family objected when the doctor wanted to obtain informed consent from the patient because that would involve disclosing the diagnosis, which would make the patient very sad and depressed. The family wanted to make the decision without informing the patient. What should the doctor do? Provide your moral reasoning.

رجل في الثمانين من عمره، بكامل وعيه، وكفو، مصاب بسرطان مُستعص مُتقدم، يحتاج إلى علاج كيميائي مُلطّف. اعترضت عائلته عندما أراد الطبيب الحصول على موافقة من المريض؛ لأن ذلك سيؤدي إلى الكشف عن التشخيص، مما سيسبب للمريض حزنًا واكتئابًا شديدين. أرادت العائلة اتخاذ القرار دون إخبار المريض. ماذا ينبغي على الطبيب فعله؟ قدّم مبرراتك الأخلاقية.

Case scenario 2:

- A 30-year-old woman presented with classical signs of acute appendicitis. She consented to an operation to open the abdomen and remove the inflamed appendix. The surgeon found a previously undiagnosed ovarian cyst and decided to remove it. The removal was a simple and safe procedure that would not have increased the duration of the operation. The head nurse refused because the patient had not given consent. What should the surgeon do? Provide your moral reasoning.

حضرت امرأة تبلغ من العمر 30 عامًا بأعراض التهاب الزائدة الدودية الحاد. وافقت على إجراء عملية جراحية لفتح البطن وإزالة الزائدة الملتهبة. اكتشف الجراح كيسًا مبيضيًا لم يُشخص سابقًا، فقرر إزالته. كانت عملية الإزالة بسيطة وآمنة، ولن تزيد من مدة العملية. رفضت الممرضة الرئيسية العملية لعدم موافقة المريضة. ماذا كان على الجراح فعله؟ قدم مبرراتك الأخلاقية.

189

الموافقة

What is consent ?

- "... the principle that a person must give **permission** before they receive any type of medical practice.
- It includes **history taking**, **medical examination**, **investigations** or **treatment**".
- The patient has the right to accept or refuse the proposed procedure.
- Both consent and refusal must be **informed**.

تمارس مهنة الطب مع المريض

Forms/types of consent

تأنيده

Implied (ضمني)

- When a person comes to visit a doctor or asks the physician to visit him. مجرد مجيئه على العيادة
- Includes basic clinical examination only (inspection, palpation, auscultation).
- Further examination as rectal, vaginal, or blood test needs expressed consent.

Expressed

1. Oral (verbal): is used for minor techniques as withdraw blood sample, therapeutic events.
2. Written: it covers
 1. All major diagnostic or therapeutic procedures as endoscopy.
 2. General anaesthesia.
 3. Operations.
 4. Research.

Other forms

قرار بوشده وهو واع، لكن
يُحْتَجَبُ عَنِ مَا يَكُونُ كَادِرًا عَلَيْهِ
اذا ذكره، غير واع

- **Advance treatment directives** are instructions on treatment, or its withdrawal made by a competent patient, to be applied when competence is lost. Such directives are best made in writing and with witnesses.
- **Substitute or proxy decision makers** are the persons who are authorized to make decisions on behalf of a patient who does not have the intellectual competence to decide for him or herself.




شخص بديل

المُكتوب، أدري منه
موافقة غير
شخصه
قانونية أقله من 18

Consent, assent, paternalism

- **Autonomy is the basis of informed consent.**
- **Age of consent: 18 years old.**
- Children with some degree of competence can **assent** to treatment, which signifies their agreement with what their parents, their legal decision makers, have decided.
- **Paternalism** is a negative attitude that was common among physicians and has now almost disappeared. The paternalistic physician assumes that he knows what is best for the patient and should make treatment decisions without reference to the patient. Paternalism is a violation of the patient's autonomy rights.

3 key elements to obtain correct/valid consent

- **Capacity** usually refers to the mental competencies that are needed for a human to make rational decisions, which includes the ability to understand the information about an intended intervention (or medical condition), appreciate the risks associated with the proposed intervention (medical condition, or research).
- **Disclosure.** the information given to the patient, who is supposed to take a decision are simple and understandable. Disclosure includes **risks, benefits and alternative lines** of treatment.  
- **Voluntariness** refers to the importance of having the freedom to take these decisions without any pressure the emotional and social pressure conveyed by other family members or the health care team. 

Elements of informed consent

- Risks and benefits of the treatment or procedures.
- Risks and benefits of the alternatives.
- Prospect of Success or failure.
- Nature of the illness.
- Purpose and nature of the treatment and procedures.
- Acceptance or refusal (informed refusal) of the treatment.
- Prognosis of absence of intervention.

Scope and limitations of consent

Consent
لوقت معين
فقط
وليس على
مدى بعيد

- Consent should be **specific** for what it is taken for.
- Any permission to undertake medical procedures must specify the **part of the body** to be treated and the **type of procedure** to be carried out within **a specified time**.
- The medical professional can go beyond these limits only by getting **new permission** from the patient.
- The patient's autonomous right to decide **which profession** can treat him.
- The patient has a right to **reject** any professional procedure without having to give a reason.

Scope and limitations of consent

- The patient has the right to **withdraw** the permission at any time without being required to explain why.
- Consent has **a limited time**.
- Consent given in one admission will have to be **repeated** on **re-admission**.
- If a long time elapses, consent needs to be repeated because **circumstances might have changed**.

Consent and the protection of the physician

- Consent is not only patient's right, it also, **protects the physician in case of side effects.** "Malpractise"
- This is because the medical intervention was legal and carried out after consent and authorization by the patient.
- The legal protection for the medical practitioner is, however, limited.
- Consent does not protect a physician from prosecution in the event of professional errors and malpractice.
- In case of patient injury, the practitioner will be under less legal liability if proper consent was litigation but cannot be totally free of blame.

What if I neglect patient consent?

- To examine or treat patient without consent is considered as an assault (battery) even if it was beneficial for patient health. يعتبر فحص أو علاج المريض دون موافقته اعتداءً حتى لو كان ذلك مفيداً لصحة المريض.
- If physician took a consent after insufficient disclosure, he may be charged by medical negligence. إذا حصل الطبيب على الموافقة بعد إفصاح غير كافٍ، فقد يتم اتهامه بالإهمال الطبي.

Informed refusal

- Is where a person has refused a recommended medical treatment based upon an understanding of the facts and implications of not following the treatment.
- Carefully document the refusal. It must be written with signature of the patient, doctor and a witness.

Exceptions for consent

- In life-threatening emergencies where there is not enough time to obtain consent.
- Prisoners.
- Food dealers.
- Referred by the court.

الشُّبْنَاءُ

Consent is invalid in the following:



(1) Unlawful act

ex: Criminal abortion.

(2) Operations with no medical indication

ex: Amputation of finger to be unfit to military service.

(3) Consent given by one has no right to give

ex: minors (below age), mental patients. consent could be obtained from a substitute or guardian

(4) Consent obtained by fraud

ex: convincing the patient that the operation is necessary to save his life while this is not true.

الاعتداء